



| Choice Plan |

# Express Scripts Medicare (PDP) 2017 Formulary (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary File Submission ID: 17070, V18

This formulary was updated on 10/19/2017. For more recent information or other questions, please contact **Express Scripts Medicare® (PDP) Customer Service at 1.800.758.4574**; New York State residents: **1.800.758.4570** or, for TTY users, **1.800.716.3231**, 24 hours a day, 7 days a week, or visit <http://www.express-scripts.com>.

---

ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call **1.800.758.4574**; New York residents: **1.800.758.4570** (TTY: **1.800.716.3231**).

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al **1.800.758.4574**; para residentes de New York: **1.800.758.4570** (TTY: **1.800.716.3231**).

This information is available in braille, large print and other formats for people with disabilities. Please contact Customer Service if you need plan information in another format.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Medco Containment Life Insurance Company and Medco Containment Insurance Company of New York (for members located in New York State only). When it refers to “plan” or “our plan,” it means Express Scripts Medicare.

This document includes a list of the drugs (formulary) for our plan, which is current as of October 19, 2017. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

## **What is the Express Scripts Medicare Formulary?**

A formulary is a list of covered drugs selected by Express Scripts Medicare in consultation with a team of healthcare providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Express Scripts Medicare will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Express Scripts Medicare network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

## **Can the Formulary (drug list) change?**

Generally, if you are taking a drug on our 2017 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2017 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we cannot ensure your safety.

If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of October 19, 2017. To get updated information about the drugs covered by Express Scripts Medicare, please contact us. Our contact information appears on the front and back cover pages. If there are additional changes made to the formulary that affect you and are not mentioned above, you will be notified in writing of these changes within a reasonable period of time from when the changes are made.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category “Cardiovascular, Hypertension/Lipids.” If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 68. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Express Scripts Medicare covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Express Scripts Medicare requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Express Scripts Medicare before you fill your prescriptions. If you don't get approval, Express Scripts Medicare may not cover the drug.
- **Quantity Limits:** For certain drugs, Express Scripts Medicare limits the amount of the drug that Express Scripts Medicare will cover. For example, Express Scripts Medicare provides two inhalers (17 grams) for a 1-month supply per prescription for PROAIR® HFA. This may be in addition to a standard 1-month or 3-month supply.
- **Step Therapy:** In some cases, Express Scripts Medicare requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Express Scripts Medicare may not cover Drug B unless you try Drug A first. If Drug A does not work for you, Express Scripts Medicare will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Express Scripts Medicare to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section “How do I request an exception to the Express Scripts Medicare Formulary?” on page iii for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that Express Scripts Medicare does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Express Scripts Medicare. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Express Scripts Medicare.
- You can ask Express Scripts Medicare to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Express Scripts Medicare Formulary?**

You can ask Express Scripts Medicare to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Express Scripts Medicare limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Express Scripts Medicare will only approve your request for an exception if the alternative drugs included on the plan’s formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception, you should submit a statement from your prescriber or physician supporting your request.**

Generally, we must make our decision within 72 hours of getting your prescriber’s supporting statement. You can request an expedited (fast) exception if you or your doctor believes that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with a 91- to 98-day transition supply, consistent with dispensing increment (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

Other times when we will cover a temporary 30-day transition supply (or less, if you have a prescription written for fewer days) include:

- When you leave a long-term care facility
- When you are discharged from a hospital
- When you leave a skilled nursing facility
- When you cancel hospice care
- When you are discharged from a psychiatric hospital with a medication regimen that is highly individualized

If you are entering a long-term care facility, we will cover a 31-day transition supply.

The plan will send you a letter within 3 business days of your filling a temporary transition supply, notifying you that this was a temporary supply and explaining your options.

## **For more information**

For more detailed information about your Express Scripts Medicare prescription drug coverage, please review your *Evidence of Coverage* and other plan materials.

If you have questions about Express Scripts Medicare, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1.800.MEDICARE (1.800.633.4227), 24 hours a day, 7 days a week. TTY users should call 1.877.486.2048. Or, visit <http://www.medicare.gov>.

## **Express Scripts Medicare's Formulary**

The formulary that begins on page 1 provides coverage information about the drugs covered by Express Scripts Medicare. If you have trouble finding your drug in the list, turn to the Index that begins on page 68.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., NEXIUM<sup>®</sup>) and generic drugs are listed in lowercase italics (e.g., *omeprazole*).

The information in the Requirements/Limits column tells you if Express Scripts Medicare has any special requirements for coverage of your drug.

**B/D PA:** Part B or Part D Prior Authorization. This drug may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**LA:** Limited Availability. This prescription may be available only at certain pharmacies. For more information, consult your *Pharmacy Directory* or call Customer Service at **1.800.758.4574** (New York State residents: **1.800.758.4570**), 24 hours a day, 7 days a week. TTY users should call **1.800.716.3231**.

**MO:** Mail-Order Drug. This prescription drug is available through our home delivery pharmacy service, as well as through our retail network pharmacies. Consider using mail order for your long-term medications (the ones you take regularly, such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

**PA:** Prior Authorization. The plan requires you or your doctor to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescription. If you don't get approval, we may not cover the drug.

**QL:** Quantity Limit. For certain drugs, the plan limits the amount of the drug that we will cover.

**ST:** Step Therapy. In some cases, the plan requires you to first try a certain drug to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

## **Your costs**

The amount you pay for a covered drug will depend on:

- **Your coverage stage.** Express Scripts Medicare has different stages of coverage. In each stage, the amount you pay for a drug may change.
- **The drug tier for your drug.** Each covered drug is in one of five drug tiers. Each tier may have a different copayment or coinsurance amount. The "Drug Tiers" chart on the following page explains what types of drugs are included in each tier and shows how costs may change with each tier.

The *Evidence of Coverage* has more information about the plan's coverage stages and lists the copayment and coinsurance amounts for each tier.

## If you qualify for Extra Help

If you qualify for Extra Help for your prescription drugs, your copayments and coinsurance may be lower. Please refer to the “*Evidence of Coverage Rider for People Who Get Extra Help Paying for Prescription Drugs (LIS Rider)*” to find out what your costs are or you may contact Customer Service for more information.

## Drug Tiers

Tier	Description
Tier 1: <b>Preferred Generic Drugs</b>	This tier includes commonly prescribed generic drugs and may include other low-cost drugs. Use Tier 1 drugs for the lowest copayments.
Tier 2: <b>Generic Drugs</b>	This tier includes generic drugs and may include other low-cost drugs. Use Tier 2 drugs to keep your copayments low.
Tier 3: <b>Preferred Brand Drugs</b>	This tier includes preferred brand-name drugs as well as some generic drugs. Drugs in this tier will generally have lower copayments than non-preferred drugs.
Tier 4: <b>Non-Preferred Drugs</b>	This tier includes non-preferred brand-name drugs as well as some generic drugs. Many drugs in Tier 4 have lower-cost alternatives in Tiers 1, 2, and 3. Ask your doctor if switching to a lower-cost generic or preferred brand drug may be right for you. Drugs in this tier are limited to up to a 31-day supply.
Tier 5: <b>Specialty Tier Drugs</b>	This tier includes very high-cost brand-name and generic drugs. To learn more about medications in this tier, you may contact a pharmacist at the numbers listed on the front and back covers of this document. Drugs in this tier are limited to up to a 31-day supply.

## Key

The abbreviations listed below may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug. You can find information on what the symbols and abbreviations on these tables mean by going to page v.

<b>B/D PA:</b> Part B or Part D Prior Authorization
<b>LA:</b> Limited Availability
<b>MO:</b> Mail-Order Drug
<b>PA:</b> Prior Authorization
<b>QL:</b> Quantity Limit
<b>ST:</b> Step Therapy

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>ANTI - INFECTIVES</b>		
<b>ANTIFUNGAL AGENTS</b>		
ABELCET	5	B/D PA; MO
AMBISOME	5	B/D PA; MO
<i>amphotericin b</i>	4	B/D PA; MO
CANCIDAS	5	B/D PA; MO
<i>clotrimazole mucous membrane</i>	2	MO
CRESEMBA INTRAVENOUS	5	
CRESEMBA ORAL	5	MO
<i>fluconazole</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	2	
<i>flucytosine</i>	3	MO
<i>griseofulvin microsize</i>	2	MO
<i>griseofulvin ultramicrosize</i>	4	MO
<i>itraconazole</i>	3	MO
<i>ketoconazole oral</i>	2	MO
MYCAMINE INTRAVENOUS RECON SOLN 100 MG	5	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
MYCAMINE INTRAVENOUS RECON SOLN 50 MG	3	MO
NOXAFIL ORAL	5	MO
<i>nystatin oral suspension</i>	2	MO
<i>nystatin oral tablet</i>	2	MO
SPORANOX ORAL SOLUTION	5	MO
<i>terbinafine hcl oral</i>	2	MO
<i>voriconazole intravenous</i>	2	MO
<i>voriconazole oral suspension for reconstitution</i>	5	MO
<i>voriconazole oral tablet</i>	3	MO
<b>ANTIVIRALS</b>		
<i>abacavir oral tablet</i>	3	MO
<i>abacavir-lamivudine</i>	5	MO
<i>abacavir-lamivudine-zidovudine</i>	5	MO
<i>acyclovir oral capsule</i>	2	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	3	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	2	B/D PA; MO
<i>adefovir</i>	5	MO
<i>amantadine hcl oral capsule</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>amantadine hcl oral solution</i>	2	MO	FUZEON SUBCUTANEOUS RECON SOLN	5	MO
<i>amantadine hcl oral tablet</i>	4	MO	<i>ganciclovir sodium</i>	2	B/D PA; MO
APTIVUS ORAL CAPSULE	5	MO	GENVOYA	3	MO
APTIVUS ORAL SOLUTION	5		HARVONI	5	PA; MO; QL (168 per 168 days)
ATRIPLA	5	MO	INTELENCE ORAL TABLET 100 MG, 200 MG	5	MO
BARACLUDE ORAL SOLUTION	3	MO	INTELENCE ORAL TABLET 25 MG	3	MO
<i>cidofovir</i>	4	B/D PA; MO	INVIRASE	5	MO
COMPLERA	5	MO	ISENTRESS HD	4	MO
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	MO	ISENTRESS ORAL POWDER IN PACKET	5	MO
DESCOVY	5	MO	ISENTRESS ORAL TABLET	5	MO
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg</i>	3		ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	MO
<i>didanosine oral capsule, delayed release(dr/ec) 200 mg, 250 mg, 400 mg</i>	3	MO	ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	MO
EDURANT	4	MO	KALETRA ORAL SOLUTION	5	MO
EMTRIVA	3	MO	KALETRA ORAL TABLET 100-25 MG	3	MO
<i>entecavir</i>	3	MO	KALETRA ORAL TABLET 200-50 MG	5	MO
EPCLUSIA	5	PA; MO; QL (28 per 28 days)	<i>lamivudine oral solution</i>	3	MO
EPIVIR HBV ORAL SOLUTION	3	MO			
EPZICOM	5	MO			
EVOTAZ	4	MO			
<i>famciclovir</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>lamivudine oral tablet 100 mg</i>	2	MO	<i>oseltamivir</i>	3	MO
<i>lamivudine oral tablet 150 mg, 300 mg</i>	3	MO	<b>PREZCOBIX</b>	4	MO
<i>lamivudine-zidovudine</i>	3	MO	<b>PREZISTA ORAL SUSPENSION</b>	5	MO
<b>LEXIVA ORAL SUSPENSION</b>	3	MO	<b>PREZISTA ORAL TABLET 150 MG, 75 MG</b>	3	MO
<b>LEXIVA ORAL TABLET</b>	5	MO	<b>PREZISTA ORAL TABLET 600 MG, 800 MG</b>	5	MO
<i>lopinavir-ritonavir</i>	3	MO	<b>REBETOL ORAL SOLUTION</b>	3	MO
<i>moderiba</i>	4	MO	<b>RELENZA DISKHALER</b>	3	MO
<i>moderiba dose pack oral tablets,dose pack 200 mg (7)- 400 mg (7), 600 mg (7)- 400 mg (7)</i>	4	MO	<b>RESCRIPTOR</b>	4	MO
<i>moderiba dose pack oral tablets,dose pack 400 mg (7)- 400 mg (7), 600 mg (7)- 600 mg (7)</i>	5	MO	<b>RETROVIR INTRAVENOUS</b>	3	MO
<i>nevirapine oral suspension</i>	2	MO	<b>REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG</b>	5	MO
<i>nevirapine oral tablet</i>	2	MO	<b>REYATAZ ORAL POWDER IN PACKET</b>	5	MO
<i>nevirapine oral tablet extended release 24 hr</i>	3	MO	<i>ribavirin oral capsule</i>	3	MO
<b>NORVIR ORAL CAPSULE</b>	3		<i>ribavirin oral tablet 200 mg</i>	3	MO
<b>NORVIR ORAL SOLUTION</b>	3	MO	<i>rimantadine</i>	2	MO
<b>NORVIR ORAL TABLET</b>	3	MO	<b>SELZENTRY ORAL TABLET</b>	3	MO
<b>ODEFSEY</b>	5	MO	<b>SOVALDI</b>	5	PA; MO; QL (168 per 168 days)
			<i>stavudine oral capsule</i>	2	MO
			<b>STRIBILD</b>	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SUSTIVA ORAL CAPSULE 200 MG	5	MO
SUSTIVA ORAL CAPSULE 50 MG	3	MO
SUSTIVA ORAL TABLET	5	MO
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML	5	MO; LA
TAMIFLU	3	MO
TIVICAY ORAL TABLET 10 MG	3	MO
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO
TRIUMEQ	5	MO
TRUVADA	5	MO
<i>valacyclovir</i>	2	MO; QL (31 per 31 days)
VALCYTE ORAL RECON SOLN	5	MO
<i>valganciclovir oral recon soln</i>	5	MO
<i>valganciclovir oral tablet</i>	3	MO
VEMLIDY	5	MO
VIDEX 2 GRAM PEDIATRIC	4	MO
VIRACEPT ORAL TABLET	5	MO
VIREAD	5	MO
ZERIT ORAL RECON SOLN	4	MO
ZIAGEN ORAL SOLUTION	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>zidovudine</i>	2	MO
<b>CEPHALOSPORINS</b>		
<i>cefaclor oral capsule</i>	2	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>cefadroxil oral tablet</i>	2	MO
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	2	MO
<i>cefazolin injection recon soln 10 gram</i>	2	
<i>cefdinir</i>	2	MO
<i>cefepime</i>	4	MO
<i>cefixime</i>	2	MO
<i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i>	2	
<i>cefoxitin intravenous recon soln 1 gram</i>	2	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	2	
<i>cefoxitin intravenous recon soln 2 gram</i>	4	MO
<i>cefopodoxime</i>	2	MO
<i>ceftazidime injection recon soln 1 gram</i>	2	MO
<i>ceftazidime injection recon soln 2 gram</i>	4	MO
<i>ceftazidime injection recon soln 6 gram</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>ceftriaxone injection recon soln 10 gram</i>	2		<i>e.e.s. 400 oral tablet</i>	4	MO
<i>ceftriaxone injection recon soln 250 mg, 500 mg</i>	2	MO	<i>erythrocin (as stearate) oral tablet 250 mg</i>	4	MO
<i>ceftriaxone intravenous</i>	2	MO	<b>ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG</b>	3	MO
<i>cefuroxime axetil oral tablet</i>	2	MO	<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	4	MO
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	MO	<i>erythromycin ethylsuccinate oral tablet</i>	4	MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	MO	<i>erythromycin oral capsule, delayed release(dr/ec)</i>	3	MO
<i>cefuroxime sodium intravenous recon soln 7.5 gram</i>	2		<i>erythromycin oral tablet</i>	4	MO
<i>cephalexin oral capsule 250 mg, 500 mg</i>	2	MO	<b>MISCELLANEOUS ANTIINFECTIVES</b>		
<i>cephalexin oral suspension for reconstitution</i>	2	MO	<b>ALBENZA</b>	5	MO
<i>cephalexin oral tablet</i>	2	MO	<b>ALINIA</b>	3	MO
<b>SUPRAX ORAL CAPSULE</b>	4	MO	<i>amikacin injection solution 500 mg/2 ml</i>	2	MO
<b>SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML</b>	4		<i>atovaquone</i>	5	MO
<b>TEFLARO</b>	4	MO	<i>atovaquone-proguanil oral tablet 250-100 mg</i>	3	MO
<b>ERYTHROMYCINS / OTHER MACROLIDES</b>			<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	2	MO
<i>azithromycin</i>	2	MO	<b>AZACTAM IN DEXTROSE (ISO-OSM)</b>	4	
<i>clarithromycin</i>	2	MO	<i>aztreonam injection recon soln 1 gram</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
BILTRICIDE	3	MO	<i>gentamicin in nacl (iso-osm) intravenous piggyback 60 mg/50 ml, 80 mg/100 ml</i>	2	
CAPASTAT	4		<i>gentamicin injection solution 40 mg/ml</i>	2	MO
CAYSTON	5	MO; LA; QL (84 per 28 days)	<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml</i>	2	MO
<i>chloramphenicol sod succinate</i>	2		<i>hydroxychloroquine</i>	2	MO
<i>chloroquine phosphate</i>	2	MO	<i>imipenem-cilastatin</i>	2	MO
<i>clindamycin hcl</i>	2	MO	<i>isoniazid oral</i>	2	MO
<i>clindamycin in 5 % dextrose</i>	2	MO	<i>ivermectin</i>	2	MO
<i>clindamycin pediatric</i>	2	MO	<i>linezolid intravenous</i>	3	
<i>clindamycin phosphate injection</i>	2	MO	<i>linezolid oral</i>	5	MO
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2		<i>mefloquine</i>	2	MO
COARTEM	3	MO	<i>meropenem</i>	4	MO
<i>colistin (colistimethate na)</i>	4	MO	<i>metronidazole in nacl (iso-os)</i>	2	MO
CUBICIN	5	MO	<i>metronidazole oral</i>	2	MO
DAPSONE	3	MO	NEBUPENT	3	B/D PA; MO; QL (1 per 28 days)
<i>daptomycin</i>	5	MO	<i>neomycin</i>	2	MO
DARAPRIM	3	PA; MO	<i>paromomycin</i>	4	MO
EMVERM	5	MO	PASER	3	MO
<i>ethambutol</i>	2	MO	PENTAM	4	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 80 mg/50 ml</i>	2	MO	PRIFTIN	3	MO
			PRIMAQUINE	3	MO
			<i>pyrazinamide</i>	2	MO
			<i>quinine sulfate</i>	2	MO
			<i>rifabutin</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
rifampin	2	MO	<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	2	MO
SIRTURO	5	MO; LA	<i>ampicillin-sulbactam injection recon soln 15 gram</i>	2	
STREPTOMYCIN	3	MO	AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML	5	MO
SYNERCID	5		<i>dicloxacillin</i>	2	MO
<i>tinidazole</i>	2	MO	<i>nafcillin injection recon soln 1 gram</i>	4	MO
<i>tobramycin in 0.225 % nacl</i>	5	B/D PA; MO; QL (280 per 28 days)	<i>nafcillin injection recon soln 10 gram</i>	5	MO
<i>tobramycin sulfate injection solution</i>	2	MO	<i>penicillin g potassium injection recon soln 5 million unit</i>	4	MO
TRECATOR	3	MO	<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i>	2	MO
TYGACIL	5	MO	<i>penicillin g sodium</i>	2	MO
XIFAXAN ORAL TABLET 200 MG	5	MO; QL (9 per 30 days)	<i>penicillin v potassium</i>	2	MO
XIFAXAN ORAL TABLET 550 MG	5	MO; QL (62 per 31 days)	<i>piperacillin-tazobactam intravenous recon soln 3.375 gram</i>	3	MO
<b>PENICILLINS</b>					
<i>amoxicillin oral capsule</i>	2	MO	<i>piperacillin-tazobactam intravenous recon soln 4.5 gram, 40.5 gram</i>	4	MO
<i>amoxicillin oral suspension for reconstitution</i>	2	MO			
<i>amoxicillin oral tablet</i>	2	MO			
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	MO			
<i>amoxicillin-pot clavulanate</i>	2	MO			
<i>ampicillin oral capsule</i>	2	MO			
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ZOSYN IN DEXTROSE (ISO- OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML	3	
ZOSYN IN DEXTROSE (ISO- OSM) INTRAVENOUS PIGGYBACK 3.375 GRAM/50 ML	3	MO
<b>QUINOLONES</b>		
ciprofloxacin	2	
ciprofloxacin hcl oral	2	MO
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml	4	MO
ciprofloxacin lactate intravenous solution 400 mg/40 ml	2	
levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml	2	MO
levofloxacin intravenous	4	MO
levofloxacin oral solution	4	MO
levofloxacin oral tablet	2	MO
moxifloxacin oral	2	MO
ofloxacin oral tablet 300 mg	2	
ofloxacin oral tablet 400 mg	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>SULFA'S / RELATED AGENTS</b>		
sulfadiazine	4	MO
sulfamethoxazole- trimethoprim	2	MO
<b>TETRACYCLINES</b>		
demeclacycline	4	MO
doxy-100	2	MO
doxycycline hyclate oral capsule	2	MO
doxycycline hyclate oral tablet 100 mg, 20 mg	2	MO
doxycycline hyclate oral tablet, delayed release (dr/ec)	4	MO
doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg	4	MO
doxycycline monohydrate oral suspension for reconstitution	2	MO
doxycycline monohydrate oral tablet	2	MO
minocycline oral capsule	2	MO
minocycline oral tablet	2	MO
minocycline oral tablet extended release 24 hr 135 mg, 45 mg	4	MO
minocycline oral tablet extended release 24 hr 90 mg	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements /Limits
<i>morgidox oral capsule 50 mg</i>	2	

### URINARY TRACT AGENTS

<i>methenamine hippurate</i>	2	MO
<i>nitrofurantoin</i>	3	MO
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg</i>	3	MO
<i>nitrofurantoin macrocrystal oral capsule 50 mg</i>	2	MO
<i>nitrofurantoin monohyd/m-cryst</i>	2	MO
PRIMSOL	4	MO
<i>trimethoprim</i>	2	MO

### VANCOMYCIN

<i>vancomycin intravenous recon soln 1,000 mg</i>	2	MO
<i>vancomycin intravenous recon soln 10 gram, 500 mg</i>	4	MO
<i>vancomycin oral capsule</i>	3	MO
VIBATIV INTRAVENOUS RECON SOLN 750 MG	5	

### ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

Drug Name	Drug Tier	Requirements /Limits
FUSILEV	4	MO

Drug Name	Drug Tier	Requirements /Limits
KEPIVANCE	5	MO

<i>leucovorin calcium injection recon soln 100 mg, 350 mg</i>	2	MO
---	---	----

<i>leucovorin calcium oral</i>	2	MO
--------------------------------	---	----

<i>levoleucovorin intravenous recon soln 50 mg</i>	3	
--	---	--

<i>levoleucovorin intravenous solution</i>	3	
--	---	--

mesna	2	MO
-------	---	----

MESNEX ORAL	5	MO
-------------	---	----

XGEVA	5	MO
-------	---	----

### ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

ABRAXANE	5	MO
----------	---	----

<i>adriamycin intravenous solution 20 mg/10 ml</i>	2	
--	---	--

<i>adrucil intravenous solution 500 mg/10 ml</i>	2	B/D PA; MO
--	---	------------

AFINITOR DISPERZ	5	PA; MO
------------------	---	--------

AFINITOR ORAL TABLET 10 MG	5	PA; MO; QL (62 per 31 days)
----------------------------	---	-----------------------------

AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA; MO
---	---	--------

ALECensa	3	PA; MO; QL (248 per 31 days)
----------	---	------------------------------

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ALIMTA INTRAVENOUS RECON SOLN 500 MG	5	MO	<i>carboplatin intravenous solution</i>	2	MO
ALUNBRIG	4	PA; MO; LA; QL (186 per 31 days)	CELLCEPT INTRAVENOUS	3	B/D PA; MO
<i>anastrozole</i>	2	MO	<i>cisplatin</i>	2	MO
ARRANON	3		<i>cladribine</i>	4	B/D PA; MO
AVASTIN	3	MO	<i>clofarabine</i>	3	
<i>azacitidine</i>	5	MO	CLOLAR	4	
<i>azathioprine</i>	2	B/D PA; MO	COMETRIQ	5	PA; MO
<i>azathioprine sodium</i>	3	B/D PA	COTELLIC	4	PA; MO; LA; QL (63 per 28 days)
BAVENCIO	5	MO; LA	CYCLOPHOSPHA MIDE ORAL CAPSULE	3	B/D PA; MO
BELEODAQ	5	MO	<i>cyclosporine intravenous</i>	4	B/D PA
<i>bexarotene</i>	5	MO	<i>cyclosporine modified</i>	3	B/D PA; MO
<i>bicalutamide</i>	2	MO	<i>cyclosporine oral capsule</i>	3	B/D PA; MO
BICNU	4	MO	CYRAMZA	5	B/D PA; MO
<i>bleomycin injection recon soln 30 unit</i>	2	B/D PA; MO	<i>cytarabine</i>	2	B/D PA; MO
BOSULIF ORAL TABLET 100 MG	3	PA; MO	<i>cytarabine (pf) injection solution 2 gram/20 ml (100 mg/ml)</i>	2	B/D PA; MO
BOSULIF ORAL TABLET 500 MG	3	PA; MO; QL (31 per 31 days)	<i>dacarbazine intravenous recon soln 200 mg</i>	2	MO
<i>busulfan</i>	5		DARZALEX	3	MO; LA
BUSULFEX	4		<i>daunorubicin intravenous solution</i>	2	
CABOMETYX	4	PA; MO; LA	<i>decitabine</i>	5	MO
CAPRELSA ORAL TABLET 100 MG	5	PA; MO; LA; QL (93 per 31 days)			
CAPRELSA ORAL TABLET 300 MG	5	PA; MO; LA; QL (31 per 31 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>docetaxel intravenous solution 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	3	MO	FARYDAK ORAL CAPSULE 15 MG, 20 MG	5	PA; MO; QL (6 per 21 days)
<i>doxorubicin intravenous solution 50 mg/25 ml</i>	2	MO	FASLODEX	5	MO
<i>doxorubicin, peg-liposomal</i>	5	MO	FIRMAGON KIT W DILUENT SYRINGE	4	MO
DROXIA	3	MO	<i>fludarabine intravenous recon soln</i>	3	MO
ELLENCE INTRAVENOUS SOLUTION 200 MG/100 ML	4	MO	<i>fluorouracil intravenous solution 2.5 gram/50 ml</i>	2	B/D PA; MO
EMCYT	3	MO	flutamide	2	MO
EMPLICITI	4	B/D PA; MO	FOLOTYN INTRAVENOUS SOLUTION 40 MG/2 ML (20 MG/ML)	5	MO
<i>epirubicin intravenous solution 200 mg/100 ml</i>	2	MO	<i>gemcitabine intravenous recon soln 1 gram</i>	3	MO
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML	5	MO	<i>genograf oral capsule 100 mg, 25 mg</i>	4	B/D PA; MO
ERIVEDGE	5	PA; MO; QL (31 per 31 days)	<i>genograf oral capsule 50 mg</i>	3	B/D PA; MO
ERWINAZE	5	MO	<i>genograf oral solution</i>	4	B/D PA; MO
ETOPOPHOS	4	MO	GILOTrif ORAL TABLET 20 MG	5	PA; MO; QL (62 per 31 days)
<i>etoposide intravenous</i>	2	MO	GILOTrif ORAL TABLET 30 MG	5	PA; MO; QL (42 per 31 days)
<i>exemestane</i>	3	MO	GILOTrif ORAL TABLET 40 MG	5	PA; MO; QL (31 per 31 days)
FARESTON	5	MO	GLEEVEC ORAL TABLET 100 MG	5	PA; MO
FARYDAK ORAL CAPSULE 10 MG	5	PA; MO; QL (12 per 21 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
GLEEVEC ORAL TABLET 400 MG	5	PA; MO; QL (62 per 31 days)	IMFINZI	4	MO; LA
GLEOSTINE	3	MO	INLYTA ORAL TABLET 1 MG	5	PA; MO
HALAVEN	3	MO	INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (124 per 31 days)
HERCEPTIN INTRAVENOUS RECON SOLN 440 MG	5	MO	IRESSA	4	PA; MO; QL (31 per 31 days)
HEXALEN	5	MO	<i>irinotecan intravenous solution 100 mg/5 ml</i>	4	MO
<i>hydroxyurea</i>	2	MO	ISTODAX	5	MO
IBRANCE	5	PA; MO; QL (21 per 28 days)	JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	5	PA; MO
ICLUSIG ORAL TABLET 15 MG	5	PA; QL (93 per 31 days)	JAKAFI ORAL TABLET 25 MG	5	PA; MO; QL (62 per 31 days)
ICLUSIG ORAL TABLET 45 MG	5	PA; MO; QL (31 per 31 days)	JEVTANA	4	MO
<i>idarubicin</i>	2		KADCYLA INTRAVENOUS RECON SOLN 100 MG	5	PA; MO
IDHIFA ORAL TABLET 100 MG	5	PA; MO; LA; QL (31 per 31 days)	KEYTRUDA	5	MO
IDHIFA ORAL TABLET 50 MG	5	PA; MO; LA; QL (62 per 31 days)	KISQALI	4	PA; MO
<i>ifosfamide intravenous recon soln 1 gram</i>	2	MO	KISQALI FEMARA CO-PACK	4	PA; MO
<i>imatinib oral tablet 100 mg</i>	5	PA; MO	KYPROLIS	5	MO
<i>imatinib oral tablet 400 mg</i>	5	PA; MO; QL (62 per 31 days)	LARTRUVO	5	MO; LA
IMBRUVICA	5	PA; MO; QL (124 per 31 days)	LENVIMA	5	PA; MO
			<i>letrozole</i>	2	MO
			LEUKERAN	3	MO
			<i>leuprolide subcutaneous kit</i>	2	MO
			LONSURF	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
LUPRON DEPOT	5	PA; MO	MUSTARGEN	4	MO
LUPRON DEPOT (3 MONTH)	5	PA; MO	<i>mycophenolate mofetil</i>	2	B/D PA; MO
LUPRON DEPOT (4 MONTH)	5	PA; MO	<i>mycophenolate mofetil hcl</i>	3	B/D PA
LUPRON DEPOT (6 MONTH)	5	PA; MO	<i>mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg</i>	2	B/D PA; MO
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	PA; MO	<i>mycophenolate sodium oral tablet,delayed release (dr/ec) 360 mg</i>	3	B/D PA; MO
LYNPARZA	5	PA; MO	NERLYNX	5	PA; MO; LA
LYSODREN	3	MO	NEXAVAR	5	PA; MO; LA; QL (120 per 30 days)
MATULANE	5	MO	NILANDRON	5	MO
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml</i>	2	PA; MO	<i>nilutamide</i>	3	MO
<i>megestrol oral tablet</i>	2	PA; MO	NINLARO ORAL CAPSULE 2.3 MG	5	PA; MO; QL (6 per 28 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (124 per 31 days)	NINLARO ORAL CAPSULE 3 MG	5	PA; MO; QL (4 per 28 days)
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (31 per 31 days)	NINLARO ORAL CAPSULE 4 MG	5	PA; MO; QL (3 per 28 days)
<i>melphalan hcl</i>	3		NIPENT	4	MO
<i>mercaptopurine</i>	2	MO	NULOJIX	5	B/D PA; MO
<i>methotrexate sodium</i>	2	B/D PA; MO	<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	MO
<i>methotrexate sodium (pf) injection recon soln</i>	3	B/D PA	<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	3	MO
<i>methotrexate sodium (pf) injection solution</i>	2	B/D PA; MO			
<i>mitomycin</i>	4	MO			
<i>mitoxantrone</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ODOMZO	5	PA; MO; LA; QL (31 per 31 days)	SOMATULINE DEPOT	3	MO
OPDIVO INTRAVENOUS SOLUTION 40 MG/4 ML	5	MO	SPRYCEL ORAL TABLET 100 MG, 20 MG, 50 MG, 80 MG	5	PA; MO
<i>oxaliplatin</i> <i>intravenous solution</i> <i>100 mg/20 ml</i>	4	MO	SPRYCEL ORAL TABLET 140 MG	5	PA; MO; QL (31 per 31 days)
paclitaxel	2	MO	SPRYCEL ORAL TABLET 70 MG	5	PA; MO; QL (62 per 31 days)
PERJETA	5	MO	STIVARGA	5	PA; MO; QL (84 per 28 days)
POMALYST	5	MO	SUTENT ORAL CAPSULE 12.5 MG	5	PA; MO
PROGRAF INTRAVENOUS	3	B/D PA; MO	SUTENT ORAL CAPSULE 25 MG, 37.5 MG	5	PA; MO; QL (62 per 31 days)
PURIXAN	5	MO	SUTENT ORAL CAPSULE 50 MG	5	PA; MO; QL (31 per 31 days)
RAPAMUNE ORAL SOLUTION	5	B/D PA; MO	SYLVANT INTRAVENOUS RECON SOLN 100 MG	5	MO
REVLIMID	5	PA; MO; LA	SYNRIBO	4	MO
RITUXAN	5	PA; MO	TABLOID	3	MO
RUBRACA ORAL TABLET 200 MG	5	PA; MO; LA; QL (186 per 31 days)	<i>tacrolimus oral</i>	3	B/D PA; MO
RUBRACA ORAL TABLET 300 MG	5	PA; MO; LA; QL (124 per 31 days)	TAFINLAR ORAL CAPSULE 50 MG	5	PA; MO; QL (186 per 31 days)
RYDAPT	5	PA; MO	TAFINLAR ORAL CAPSULE 75 MG	5	PA; MO; QL (124 per 31 days)
SIGNIFOR	5	MO			
SIMULECT INTRAVENOUS RECON SOLN 20 MG	3	B/D PA; MO			
<i>sirolimus oral tablet</i> <i>0.5 mg</i>	2	B/D PA; MO			
<i>sirolimus oral tablet</i> <i>1 mg, 2 mg</i>	3	B/D PA; MO			
SOLTAMOX	4	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
TAGRISSO ORAL TABLET 40 MG	5	PA; MO; LA; QL (62 per 31 days)	TYKERB	5	PA; MO; LA; QL (186 per 31 days)
TAGRISSO ORAL TABLET 80 MG	5	PA; MO; LA; QL (31 per 31 days)	VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML)	5	B/D PA; MO
<i>tamoxifen</i>	2	MO	VELCADE	5	MO
TARCEVA ORAL TABLET 100 MG, 25 MG	5	PA; MO	VENCLEXTA	4	PA; MO; LA
TARCEVA ORAL TABLET 150 MG	5	PA; MO; QL (31 per 31 days)	VENCLEXTA STARTING PACK	4	PA; MO; LA; QL (42 per 28 days)
TARGRETIN TOPICAL	5	MO	<i>vinblastine intravenous solution</i>	2	B/D PA; MO
TASIGNA ORAL CAPSULE 150 MG	5	PA; MO	<i>vincasar pfs intravenous solution 1 mg/ml</i>	2	B/D PA
TASIGNA ORAL CAPSULE 200 MG	5	PA; MO; QL (112 per 28 days)	<i>vincristine intravenous solution 1 mg/ml</i>	2	B/D PA; MO
TECENTRIQ	5	MO; LA	<i>vinorelbine intravenous solution 50 mg/5 ml</i>	2	MO
THALOMID	5	PA; MO	VOTRIENT	5	PA; MO; QL (124 per 31 days)
<i>thiotepa</i>	5	MO	VYXEOS	5	B/D PA; MO
<i>toposar</i>	2	MO	XALKORI ORAL CAPSULE 200 MG	5	PA; MO
<i>topotecan intravenous recon soln</i>	4		XALKORI ORAL CAPSULE 250 MG	5	PA; MO; QL (62 per 31 days)
TORISEL	5	MO	XATMEP	4	B/D PA; MO
TREANDA INTRAVENOUS RECON SOLN 100 MG	4	MO	XERMELO	5	PA; MO; LA; QL (93 per 31 days)
TRELSTAR	5	MO			
<i>tretinoin (chemotherapy)</i>	3	MO			
TRISENOX	4	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
XTANDI	4	PA; MO; QL (124 per 31 days)	APTIOM ORAL TABLET 200 MG, 400 MG, 800 MG	4	MO
YERVOY INTRAVENOUS SOLUTION 50 MG/10 ML (5 MG/ML)	3	MO	APTIOM ORAL TABLET 600 MG	5	MO
YONDELIS	5	MO	BANZEL ORAL SUSPENSION	5	MO
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)	4	MO	BANZEL ORAL TABLET 200 MG	3	MO
ZANOSAR	4	MO	BANZEL ORAL TABLET 400 MG	5	MO
ZEJULA	5	PA; MO; LA; QL (93 per 31 days)	BRIVIACT INTRAVENOUS	4	
ZELBORAF	4	PA; MO; QL (248 per 31 days)	BRIVIACT ORAL	4	MO
ZOLINZA	5	MO	<i>carbamazepine oral capsule, er multiphase 12 hr</i>	4	MO
ZORTRESS	5	B/D PA; MO	<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
ZYDELIG	5	PA; MO; QL (93 per 31 days)	<i>carbamazepine oral tablet</i>	1	MO
ZYKADIA	5	PA; MO; QL (155 per 31 days)	<i>carbamazepine oral tablet,extended release 12 hr</i>	4	MO
ZYTIGA ORAL TABLET 250 MG	5	PA; MO; QL (124 per 31 days)	<i>carbamazepine oral tablet,chewable</i>	1	MO
ZYTIGA ORAL TABLET 500 MG	5	PA; MO; QL (62 per 31 days)	CELONTIN ORAL CAPSULE 300 MG	3	MO
<b>AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH</b>			<i>clonazepam</i>	2	PA; MO
<b>ANTICONVULSANTS</b>			DIASSTAT	4	MO
			DIASSTAT ACUDIAL	4	MO
			<i>diazepam rectal kit 2.5 mg, 5-7.5-10 mg</i>	2	MO
			DILANTIN 30 MG	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>divalproex oral capsule, delayed release sprinkle</i>	4	MO	LAMICTAL XR STARTER (BLUE)	4	MO
<i>divalproex oral tablet extended release 24 hr</i>	4	MO	LAMICTAL XR STARTER (GREEN)	4	MO
<i>divalproex oral tablet,delayed release (dr/ec)</i>	1	MO	LAMICTAL XR STARTER (ORANGE)	4	MO
<i>epitol</i>	2	MO	<i>lamotrigine oral tablet</i>	1	MO
<i>ethosuximide</i>	4	MO	<i>lamotrigine oral tablet extended release 24hr</i>	4	MO
<i>felbamate</i>	4	MO	<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO
<i>fosphenytoin injection solution 100 mg pe/2 ml</i>	2	MO	<i>lamotrigine oral tablet,disintegrating</i>	4	MO
FYCOMPA ORAL SUSPENSION	4	MO	<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml</i>	3	
FYCOMPA ORAL TABLET	4	MO	<i>levetiracetam in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	3	MO
<i>gabapentin oral capsule</i>	1	MO	<i>levetiracetam intravenous</i>	2	MO
<i>gabapentin oral solution 250 mg/5 ml</i>	2	MO	<i>levetiracetam oral solution 100 mg/ml</i>	2	MO
<i>gabapentin oral tablet 600 mg, 800 mg</i>	1	MO	<i>levetiracetam oral tablet</i>	2	MO
GABITRIL ORAL TABLET 12 MG, 16 MG	3	MO	<i>levetiracetam oral tablet extended release 24 hr</i>	2	MO
LAMICTAL STARTER (BLUE) KIT	3	MO	LYRICA	3	MO
LAMICTAL STARTER (GREEN) KIT	3	MO			
LAMICTAL STARTER (ORANGE) KIT	3	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>			
ONFI ORAL SUSPENSION	3	PA; MO	vigabatrin	3	MO; LA			
ONFI ORAL TABLET 10 MG	3	PA; MO	VIMPAT INTRAVENOUS	3				
ONFI ORAL TABLET 20 MG	5	PA; MO	VIMPAT ORAL SOLUTION	3	MO			
<i>oxcarbazepine</i>	2	MO	VIMPAT ORAL TABLET	3	MO			
PEGANONE	4	MO	<i>zonisamide</i>	2	PA; MO			
<i>phenobarbital</i>	2	MO	<b>ANTIPARKINSONISM AGENTS</b>					
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO	APOKYN	5	MO; LA			
<i>phenytoin oral tablet, chewable</i>	2	MO	AZILECT	3	MO			
<i>phenytoin sodium extended</i>	2	MO	<i>benztropine</i>	2	MO			
<i>phenytoin sodium intravenous solution</i>	2	MO	<i>bromocriptine</i>	4	MO			
<i>primidone</i>	2	MO	<i>carbidopa</i>	5	MO			
<i>roweepra oral tablet 1,000 mg, 750 mg</i>	3		<i>carbidopa-levodopa</i>	2	MO			
<i>roweepra oral tablet 500 mg</i>	3	MO	<i>carbidopa-levodopa-entacapone</i>	4	MO			
SABRIL	5	MO; LA	<i>entacapone</i>	2	MO			
SPRITAM	4	MO	NEUPRO	4	MO			
<i>tiagabine</i>	4	MO	<i>pramipexole oral tablet</i>	2	MO			
<i>topiramate oral capsule, sprinkle</i>	3	PA; MO	<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i>	3	MO			
<i>topiramate oral tablet</i>	1	PA; MO	<i>pramipexole oral tablet extended release 24 hr 0.75 mg, 1.5 mg</i>	4	MO			
<i>valproate sodium</i>	2	MO	<i>ropinirole oral tablet</i>	2	MO			
<i>valproic acid</i>	2	MO	<i>ropinirole oral tablet extended release 24 hr</i>	4	MO			
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO	<i>selegiline hcl</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>tolcapone</i>	5	MO
<i>trihexyphenidyl</i>	1	MO
ZELAPAR	4	MO
<b>MIGRAINE / CLUSTER HEADACHE THERAPY</b>		
<i>dihydroergotamine injection</i>	2	MO
<i>dihydroergotamine nasal</i>	2	MO; QL (8 per 28 days)
<i>eletriptan hbr</i>	3	MO; QL (18 per 28 days)
<i>ergotamine-caffeine</i>	3	MO
<i>migergot</i>	4	MO
<i>naratriptan</i>	2	MO; QL (18 per 28 days)
RELPAX	3	MO; QL (18 per 28 days)
<i>rizatriptan</i>	2	MO; QL (36 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	4	MO; QL (36 per 28 days)
<i>sumatriptan succinate oral</i>	2	MO; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge</i>	3	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	3	MO; QL (8 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>sumatriptan succinate subcutaneous solution</i>	3	MO; QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	3	MO; QL (8 per 28 days)
<b>MISCELLANEOUS NEUROLOGICAL THERAPY</b>		
AMPYRA	5	PA; MO; LA
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; MO; QL (12 per 28 days)
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	MO
<i>donepezil oral tablet 23 mg</i>	4	MO
<i>donepezil oral tablet,disintegrating</i>	1	MO
<i>galantamine oral capsule,ext rel. pellets 24 hr</i>	3	MO
<i>galantamine oral solution</i>	4	MO
<i>galantamine oral tablet</i>	4	MO
<i>glatopa</i>	5	PA; MO; QL (30 per 30 days)
<i>memantine oral solution</i>	2	PA; MO
<i>memantine oral tablet</i>	2	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	
MEMANTINE ORAL TABLETS,DOSE PACK	3	PA; MO	<i>pyridostigmine bromide oral tablet extended release</i>	3	MO	
NAMENDA ORAL TABLET	3	PA; MO	<i>tizanidine oral capsule</i>	4	MO	
NAMENDA TITRATION PAK	3	PA; MO	<i>tizanidine oral tablet</i>	2	MO	
NAMENDA XR	3	PA; MO	<b>NARCOTIC ANALGESICS</b>			
NAMZARIC	3	PA; MO	<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4650 per 31 days)	
NUEDEXTA	3	MO	<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (372 per 31 days)	
RADICAVA	5	PA; MO	<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	MO; QL (186 per 31 days)	
<i>rivastigmine</i>	3	MO	BUPRENEX	4	MO; QL (276 per 30 days)	
<i>rivastigmine tartrate</i>	4	MO	<i>buprenorphine hcl injection solution</i>	2	MO; QL (276 per 31 days)	
TECFIDERA	5	PA; MO	<i>buprenorphine hcl injection syringe</i>	2	QL (276 per 31 days)	
<i>tetrabenazine</i>	5	PA; MO	<i>buprenorphine hcl sublingual</i>	2	MO	
TYSABRI	5	PA; MO; LA	BUTRANS	4	MO; QL (4 per 28 days)	
<b>MUSCLE RELAXANTS / ANTISPASMODIC THERAPY</b>						
<i>baclofen</i>	2	MO	<i>codeine sulfate oral tablet</i>	2	MO; QL (186 per 31 days)	
<i>cyclobenzaprine oral tablet</i>	2	MO	<i>duramorph (pf) injection solution 0.5 mg/ml</i>	2	MO; QL (4134 per 30 days)	
<i>dantrolene</i>	2	MO	<i>duramorph (pf) injection solution 1 mg/ml</i>	2	QL (2067 per 30 days)	
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML	5	B/D PA; MO	<i>endocet oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>	4	MO; QL (372 per 31 days)	
LIORESAL INTRATHECAL SOLUTION 500 MCG/ML	3	B/D PA; MO				
MESTINON ORAL SYRUP	5	MO				
<i>pyridostigmine bromide oral tablet</i>	2	MO				

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
fentanyl citrate buccal lozenge on a handle 1,200 mcg	3	PA; MO; QL (40 per 31 days)	hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg	2	MO; QL (52 per 31 days)
fentanyl citrate buccal lozenge on a handle 1,600 mcg	3	PA; MO; QL (30 per 31 days)	hydromorphone (pf)	4	MO; QL (248 per 31 days)
fentanyl citrate buccal lozenge on a handle 200 mcg	3	PA; MO; QL (124 per 31 days)	hydromorphone injection syringe 2 mg/ml	4	QL (1240 per 31 days)
fentanyl citrate buccal lozenge on a handle 400 mcg	3	PA; MO; QL (120 per 31 days)	hydromorphone oral liquid	2	MO; QL (1550 per 31 days)
fentanyl citrate buccal lozenge on a handle 600 mcg	3	PA; MO; QL (80 per 31 days)	hydromorphone oral tablet	2	MO; QL (186 per 31 days)
fentanyl citrate buccal lozenge on a handle 800 mcg	3	PA; MO; QL (60 per 31 days)	levorphanol tartrate	4	MO; QL (124 per 31 days)
fentanyl transdermal patch 72 hour 100 mcg/hr	2	MO; QL (9 per 30 days)	methadone injection solution	2	QL (160 per 31 days)
fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr	2	MO; QL (10 per 30 days)	methadone oral solution 10 mg/5 ml	2	MO; QL (620 per 31 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	MO; QL (5735 per 31 days)	methadone oral solution 5 mg/5 ml	2	MO; QL (1240 per 31 days)
hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 2.5-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg	2	MO; QL (372 per 31 days)	methadone oral tablet 10 mg	2	MO; QL (124 per 31 days)
			methadone oral tablet 5 mg	2	MO; QL (248 per 31 days)
			morphine concentrate oral solution	2	MO; QL (310 per 31 days)
			morphine intravenous syringe 2 mg/ml	2	QL (1034 per 31 days)
			morphine intravenous syringe 4 mg/ml	2	QL (517 per 31 days)
			morphine oral capsule, er multiphase 24 hr 120 mg	3	MO; QL (52 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>morphine oral capsule, er multiphase 24 hr 30 mg, 45 mg, 60 mg, 75 mg</i>	2	MO; QL (62 per 31 days)	<i>oxycodone oral concentrate</i>	2	MO; QL (186 per 31 days)
<i>morphine oral capsule, er multiphase 24 hr 90 mg</i>	3	MO; QL (62 per 31 days)	<i>oxycodone oral solution</i>	4	MO; QL (1240 per 31 days)
<i>morphine oral capsule, extend.release pellets 10 mg, 20 mg, 30 mg, 50 mg, 60 mg</i>	2	MO; QL (93 per 31 days)	<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg</i>	2	MO; QL (186 per 31 days)
<i>morphine oral capsule, extend.release pellets 100 mg</i>	5	MO; QL (62 per 31 days)	<i>oxycodone oral tablet 30 mg</i>	2	MO; QL (139 per 31 days)
<i>morphine oral capsule, extend.release pellets 80 mg</i>	3	MO; QL (78 per 31 days)	<i>oxycodone oral tablet 5 mg</i>	2	MO; QL (372 per 31 days)
<i>morphine oral solution</i>	2	MO; QL (930 per 31 days)	<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (372 per 31 days)
<i>morphine oral tablet</i>	2	MO; QL (186 per 31 days)	<i>oxycodone-aspirin</i>	2	MO; QL (372 per 31 days)
<i>morphine oral tablet extended release 100 mg</i>	2	MO; QL (62 per 31 days)	<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 5 mg, 7.5 mg</i>	3	MO; QL (93 per 31 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	MO; QL (124 per 31 days)	<i>oxymorphone oral tablet extended release 12 hr 30 mg</i>	3	MO; QL (70 per 31 days)
<i>morphine oral tablet extended release 200 mg</i>	2	MO; QL (31 per 31 days)	<i>oxymorphone oral tablet extended release 12 hr 40 mg</i>	3	MO; QL (52 per 31 days)
<i>morphine oral tablet extended release 60 mg</i>	2	MO; QL (103 per 31 days)	<i>vicodin</i>	2	MO; QL (372 per 31 days)
<i>oxycodone oral capsule</i>	2	MO; QL (372 per 31 days)	<i>vicodin es</i>	2	MO; QL (372 per 31 days)
			<i>vicodin hp</i>	4	MO; QL (372 per 31 days)
			<i>zamictet</i>	2	QL (5735 per 31 days)

#### NON-NARCOTIC ANALGESICS

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>butorphanol tartrate nasal</i>	2	MO; QL (5 per 28 days)
<i>celecoxib</i>	3	MO
<i>diclofenac potassium</i>	2	MO
<i>diclofenac sodium oral</i>	2	MO
<i>diclofenac sodium topical drops</i>	2	MO
<i>diclofenac sodium topical gel 1 %</i>	2	MO
<i>diflunisal</i>	2	MO
<i>etodolac</i>	2	MO
<i>fenoprofen oral tablet</i>	4	MO
<i>flurbiprofen</i>	2	MO
<i>ibuprofen oral suspension</i>	2	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	MO
<i>ketoprofen oral capsule</i>	2	MO
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	4	MO
<i>meclofenamate oral capsule 100 mg</i>	4	MO
<i>meclofenamate oral capsule 50 mg</i>	2	MO
<i>mefenamic acid</i>	4	MO
<i>meloxicam oral tablet 15 mg</i>	1	MO
<i>meloxicam oral tablet 7.5 mg</i>	1	MO; QL (31 per 31 days)
<i>nabumetone</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>naloxone injection solution</i>	2	MO
<i>naloxone injection syringe 1 mg/ml</i>	2	MO
<i>naltrexone</i>	2	MO
<i>naproxen oral suspension</i>	2	MO
<i>naproxen oral tablet</i>	1	MO
<i>naproxen oral tablet, delayed release (dr/ec)</i>	1	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	2	MO
<i>naproxen sodium oral tablet, er multiphase 24 hr</i>	2	MO
<i>NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION</i>	3	MO; QL (2 per 28 days)
<i>oxaprozin</i>	4	MO
<i>piroxicam</i>	4	MO
<i>SUBOXONE SUBLINGUAL FILM 12-3 MG</i>	3	MO; QL (62 per 31 days)
<i>SUBOXONE SUBLINGUAL FILM 2-0.5 MG</i>	3	MO; QL (372 per 31 days)
<i>SUBOXONE SUBLINGUAL FILM 4-1 MG, 8-2 MG</i>	3	MO; QL (93 per 31 days)
<i>sulindac</i>	1	MO
<i>tolmetin oral capsule</i>	2	MO
<i>tolmetin oral tablet 600 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>tramadol oral tablet</i>	2	MO; QL (248 per 31 days)	<i>bupropion hcl oral tablet extended release 12 hr 200 mg</i>	2	MO; QL (62 per 31 days)
VOLTAREN GEL TOPICAL GEL 1 %	3	MO	<i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>	2	MO; QL (93 per 31 days)
<b>PSYCHOTHERAPEUTIC DRUGS</b>					
<i>abilify maintena</i>	5	MO	<i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>	2	MO; QL (62 per 31 days)
<i>amitriptyline</i>	2	PA; MO	<i>buspirone</i>	2	MO
<i>amoxapine</i>	2	MO	<i>chlorpromazine</i>	4	MO
<i>ariPIPRAZOLE oral tablet 10 mg</i>	3	MO; QL (93 per 31 days)	<i>citalopram oral solution</i>	2	MO
<i>ariPIPRAZOLE oral tablet 15 mg</i>	3	MO; QL (62 per 31 days)	<i>citalopram oral tablet 10 mg</i>	1	MO; QL (124 per 31 days)
<i>ariPIPRAZOLE oral tablet 2 mg</i>	3	MO; QL (465 per 31 days)	<i>citalopram oral tablet 20 mg</i>	1	MO; QL (62 per 31 days)
<i>ariPIPRAZOLE oral tablet 20 mg</i>	5	MO; QL (62 per 31 days)	<i>citalopram oral tablet 40 mg</i>	1	MO; QL (31 per 31 days)
<i>ariPIPRAZOLE oral tablet 30 mg</i>	5	MO; QL (31 per 31 days)	<i>clomipramine</i>	4	PA; MO
<i>ariPIPRAZOLE oral tablet 5 mg</i>	3	MO; QL (186 per 31 days)	<i>clorazepate dipotassium</i>	2	PA; MO
<i>ariPIPRAZOLE oral tablet,disintegrating 10 mg</i>	3	MO; QL (93 per 31 days)	<i>clozapine oral tablet</i>	2	MO
<i>ariPIPRAZOLE oral tablet,disintegrating 15 mg</i>	3	MO; QL (62 per 31 days)	<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	
<i>atomoxetine</i>	3	MO	<i>CYMBALTA ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 20 MG</i>	4	MO; QL (186 per 31 days)
<i>bupropion hcl oral tablet</i>	2	MO			
<i>bupropion hcl oral tablet extended release 12 hr 100 mg</i>	2	MO; QL (124 per 31 days)			
<i>bupropion hcl oral tablet extended release 12 hr 150 mg</i>	2	MO; QL (93 per 31 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
CYMBALTA ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 30 MG	4	MO; QL (124 per 31 days)	<i>doxepin oral</i>	2	PA; MO
CYMBALTA ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 60 MG	4	MO; QL (62 per 31 days)	<i>duloxetine oral capsule,delayed release(dr/ec) 20 mg</i>	2	MO; QL (186 per 31 days)
<i>desipramine</i>	2	MO	<i>duloxetine oral capsule,delayed release(dr/ec) 30 mg</i>	2	MO; QL (124 per 31 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg</i>	3	MO; QL (124 per 31 days)	<i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i>	2	MO; QL (93 per 31 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 25 mg</i>	3	MO; QL (496 per 31 days)	<i>duloxetine oral capsule,delayed release(dr/ec) 60 mg</i>	2	MO; QL (62 per 31 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 50 mg</i>	3	MO; QL (248 per 31 days)	<b>EMSAM</b>	4	MO
<i>dextroamphetamine oral capsule, extended release</i>	4	MO	<i>ergoloid</i>	2	MO
<i>dextroamphetamine oral tablet</i>	2	MO	<i>escitalopram oxalate oral solution</i>	4	MO
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr</i>	2	MO	<i>escitalopram oxalate oral tablet 10 mg</i>	1	MO; QL (62 per 31 days)
<i>diazepam intensol</i>	2	PA; MO	<i>escitalopram oxalate oral tablet 20 mg</i>	1	MO; QL (31 per 31 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	PA; MO	<i>escitalopram oxalate oral tablet 5 mg</i>	1	MO; QL (124 per 31 days)
<i>diazepam oral tablet</i>	2	PA; MO	<b>FANAPT ORAL TABLET 1 MG</b>	4	MO; QL (744 per 31 days)
			<b>FANAPT ORAL TABLET 10 MG, 8 MG</b>	4	MO; QL (93 per 31 days)
			<b>FANAPT ORAL TABLET 12 MG</b>	4	MO; QL (62 per 31 days)
			<b>FANAPT ORAL TABLET 2 MG</b>	4	MO; QL (372 per 31 days)
			<b>FANAPT ORAL TABLET 4 MG</b>	4	MO; QL (186 per 31 days)
			<b>FANAPT ORAL TABLET 6 MG</b>	4	MO; QL (124 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
FANAPT ORAL TABLETS,DOSE PACK	4	MO; QL (8 per 28 days)	<i>fluphenazine decanoate</i>	2	MO
FAZACLO ORAL TABLET,DISINTEGRATING 150 MG, 200 MG	4		<i>fluphenazine hcl</i>	2	MO
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK	4	MO; QL (28 per 28 days)	<i>fluvoxamine oral capsule,extended release 24hr 100 mg</i>	4	MO; QL (93 per 31 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG	4	MO; QL (31 per 31 days)	<i>fluvoxamine oral capsule,extended release 24hr 150 mg</i>	4	MO; QL (62 per 31 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 20 MG	4	MO; QL (186 per 31 days)	<i>fluvoxamine oral tablet 100 mg</i>	4	MO; QL (93 per 31 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 40 MG	4	MO; QL (93 per 31 days)	<i>fluvoxamine oral tablet 25 mg</i>	4	MO; QL (372 per 31 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 80 MG	4	MO; QL (47 per 31 days)	<i>fluvoxamine oral tablet 50 mg</i>	4	MO; QL (186 per 31 days)
<i>fluoxetine oral capsule 10 mg</i>	1	MO; QL (248 per 31 days)	FORFIVO XL	4	MO; QL (31 per 31 days)
<i>fluoxetine oral capsule 20 mg</i>	1	MO	GEODON INTRAMUSCULAR	4	MO
<i>fluoxetine oral capsule 40 mg</i>	1	MO; QL (62 per 31 days)	<i>guanfacine oral tablet extended release 24 hr</i>	3	MO
<i>fluoxetine oral solution</i>	2	MO	<i>haloperidol</i>	1	MO
<i>fluoxetine oral tablet 10 mg</i>	2	MO; QL (248 per 31 days)	<i>haloperidol decanoate</i>	2	MO
<i>fluoxetine oral tablet 20 mg</i>	2	MO	<i>haloperidol lactate</i>	2	MO
			HETLIOZ	5	PA; MO; QL (31 per 31 days)
			<i>imipramine hcl</i>	2	PA; MO
			<i>imipramine pamoate</i>	4	PA; MO
			INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG	4	MO; QL (248 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 3 MG	4	MO; QL (124 per 31 days)	<i>lithium citrate oral solution 8 meq/5 ml</i>	2	MO
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 6 MG	4	MO; QL (62 per 31 days)	<i>lorazepam intensol</i>	2	PA; MO
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 9 MG	4	MO; QL (42 per 31 days)	<i>lorazepam oral tablet</i>	2	PA; MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 39 MG/0.25 ML, 78 MG/0.5 ML	4	MO	<i>loxapine succinate</i>	2	MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	MO	<i>maprotiline</i>	2	MO
INVEGA TRINZA	4	MO	<i>MARPLAN</i>	3	MO
LATUDA ORAL TABLET 120 MG	4	MO; QL (31 per 31 days)	<i>methylphenidate hcl oral capsule, er biphasic 30-70</i>	3	MO
LATUDA ORAL TABLET 20 MG	4	MO; QL (248 per 31 days)	<i>methylphenidate hcl oral capsule, er biphasic 50-50 20 mg, 40 mg, 60 mg</i>	4	MO
LATUDA ORAL TABLET 40 MG	4	MO; QL (124 per 31 days)	<i>methylphenidate hcl oral solution 10 mg/5 ml</i>	2	MO
LATUDA ORAL TABLET 60 MG, 80 MG	4	MO; QL (62 per 31 days)	<i>methylphenidate hcl oral tablet</i>	2	MO
<i>lithium carbonate</i>	1	MO	<i>mirtazapine oral tablet</i>	1	MO
			<i>mirtazapine oral tablet,disintegrating</i>	2	MO
			<i>modafinil</i>	3	PA; MO
			<i>nefazodone</i>	2	MO
			<i>nortriptyline</i>	2	MO
			<i>NUPLAZID</i>	4	MO
			<i>olanzapine intramuscular</i>	2	MO
			<i>olanzapine oral tablet 10 mg</i>	2	MO; QL (62 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>olanzapine oral tablet 15 mg, 20 mg</i>	2	MO; QL (31 per 31 days)	<i>paroxetine hcl oral tablet 40 mg</i>	1	MO; QL (47 per 31 days)
<i>olanzapine oral tablet 2.5 mg</i>	2	MO; QL (248 per 31 days)	<b>PAXIL ORAL SUSPENSION</b>	3	MO
<i>olanzapine oral tablet 5 mg</i>	2	MO; QL (124 per 31 days)	<i>perphenazine</i>	2	MO
<i>olanzapine oral tablet 7.5 mg</i>	2	MO; QL (83 per 31 days)	<i>phenelzine</i>	2	MO
<i>olanzapine oral tablet,disintegrating 10 mg</i>	2	MO; QL (62 per 31 days)	<i>pimozide</i>	3	MO
<i>olanzapine oral tablet,disintegrating 15 mg, 20 mg</i>	2	MO; QL (31 per 31 days)	<b>PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG</b>	3	MO; QL (124 per 31 days)
<i>olanzapine oral tablet,disintegrating 5 mg</i>	2	MO; QL (124 per 31 days)	<b>PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG</b>	3	MO; QL (496 per 31 days)
<i>olanzapine-fluoxetine</i>	4	MO	<b>PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 50 MG</b>	3	MO; QL (248 per 31 days)
<i>oxazepam</i>	2	PA; MO	<b>procentra</b>	2	MO
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	3	MO; QL (248 per 31 days)	<i>protriptyline</i>	4	MO
<i>paliperidone oral tablet extended release 24hr 3 mg</i>	3	MO; QL (124 per 31 days)	<i>quetiapine oral tablet 100 mg</i>	2	MO; QL (248 per 31 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	3	MO; QL (62 per 31 days)	<i>quetiapine oral tablet 200 mg</i>	2	MO; QL (124 per 31 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i>	3	MO; QL (42 per 31 days)	<i>quetiapine oral tablet 25 mg</i>	2	MO; QL (932 per 31 days)
<i>paroxetine hcl oral tablet 10 mg</i>	1	MO; QL (186 per 31 days)	<i>quetiapine oral tablet 300 mg</i>	2	MO; QL (83 per 31 days)
<i>paroxetine hcl oral tablet 20 mg</i>	1	MO; QL (93 per 31 days)	<i>quetiapine oral tablet 400 mg</i>	2	MO; QL (62 per 31 days)
<i>paroxetine hcl oral tablet 30 mg</i>	1	MO; QL (62 per 31 days)	<i>quetiapine oral tablet 50 mg</i>	2	MO; QL (496 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>quetiapine oral tablet extended release 24 hr 150 mg</i>	3	MO; QL (166 per 31 days)	<i>risperidone oral solution</i>	2	MO; QL (496 per 31 days)
<i>quetiapine oral tablet extended release 24 hr 200 mg</i>	3	MO; QL (124 per 31 days)	<i>risperidone oral tablet 0.25 mg</i>	1	MO; QL (1984 per 31 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg</i>	3	MO; QL (83 per 31 days)	<i>risperidone oral tablet 0.5 mg</i>	1	MO; QL (992 per 31 days)
<i>quetiapine oral tablet extended release 24 hr 400 mg</i>	3	MO; QL (62 per 31 days)	<i>risperidone oral tablet 1 mg</i>	1	MO; QL (496 per 31 days)
<i>quetiapine oral tablet extended release 24 hr 50 mg</i>	3	MO; QL (496 per 31 days)	<i>risperidone oral tablet 2 mg</i>	1	MO; QL (248 per 31 days)
<b>REXULTI ORAL TABLET 0.25 MG</b>	4	MO; QL (496 per 31 days)	<i>risperidone oral tablet 3 mg</i>	1	MO; QL (166 per 31 days)
<b>REXULTI ORAL TABLET 0.5 MG</b>	4	MO; QL (248 per 31 days)	<i>risperidone oral tablet 4 mg</i>	1	MO; QL (124 per 31 days)
<b>REXULTI ORAL TABLET 1 MG</b>	4	MO; QL (124 per 31 days)	<i>risperidone oral tablet,disintegrating 0.25 mg</i>	4	MO; QL (1984 per 31 days)
<b>REXULTI ORAL TABLET 2 MG</b>	4	MO; QL (62 per 31 days)	<i>risperidone oral tablet,disintegrating 0.5 mg</i>	4	MO; QL (992 per 31 days)
<b>REXULTI ORAL TABLET 3 MG</b>	4	MO; QL (42 per 31 days)	<i>risperidone oral tablet,disintegrating 1 mg</i>	4	MO; QL (496 per 31 days)
<b>REXULTI ORAL TABLET 4 MG</b>	4	MO; QL (31 per 31 days)	<i>risperidone oral tablet,disintegrating 2 mg</i>	4	MO; QL (248 per 31 days)
<b>RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML</b>	3	MO	<i>risperidone oral tablet,disintegrating 3 mg</i>	4	MO; QL (166 per 31 days)
<b>RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML</b>	5	MO	<i>risperidone oral tablet,disintegrating 4 mg</i>	4	MO; QL (124 per 31 days)
<b>RITALIN LA ORAL CAPSULE,ER BIPHASIC 50-50 10 MG</b>	3	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ROZEREM	3	MO; QL (31 per 31 days)	<i>sertraline oral tablet</i>	1	MO; QL (62 per 31 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG	4	MO; QL (62 per 31 days)	<i>sertraline oral tablet</i>	1	MO; QL (248 per 31 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 2.5 MG	4	MO; QL (248 per 31 days)	<i>sertraline oral tablet</i>	1	MO; QL (124 per 31 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 5 MG	4	MO; QL (124 per 31 days)	STRATTERA	3	MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG	4	MO; QL (166 per 31 days)	SURMONTIL	4	PA; MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 200 MG	4	MO; QL (124 per 31 days)	<i>temazepam</i>	2	PA; MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 300 MG	4	MO; QL (83 per 31 days)	<i>thioridazine</i>	2	MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 400 MG	4	MO; QL (62 per 31 days)	<i>thiothixene</i>	1	MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 50 MG	4	MO; QL (496 per 31 days)	<i>tranylcypromine</i>	4	MO
<i>sertraline oral concentrate</i>	2	MO	<i>trazodone</i>	1	MO
			<i>trifluoperazine</i>	2	MO
			<i>trimipramine</i>	2	PA; MO
			TRINTELLIX ORAL TABLET 10 MG	4	MO; QL (62 per 31 days)
			TRINTELLIX ORAL TABLET 20 MG	4	MO; QL (31 per 31 days)
			TRINTELLIX ORAL TABLET 5 MG	4	MO; QL (124 per 31 days)
			<i>venlafaxine oral capsule,extended release 24hr 150 mg</i>	2	MO; QL (62 per 31 days)
			<i>venlafaxine oral capsule,extended release 24hr 37.5 mg</i>	2	MO; QL (186 per 31 days)
			<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	2	MO; QL (93 per 31 days)
			<i>venlafaxine oral tablet 100 mg, 75 mg</i>	2	MO; QL (93 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>venlafaxine oral tablet 25 mg</i>	2	MO; QL (279 per 31 days)
<i>venlafaxine oral tablet 37.5 mg</i>	2	MO; QL (186 per 31 days)
<i>venlafaxine oral tablet 50 mg</i>	2	MO; QL (155 per 31 days)
<b>VERSACLOZ</b>	5	
<b>VIIBRYD ORAL TABLET 10 MG</b>	3	MO; QL (124 per 31 days)
<b>VIIBRYD ORAL TABLET 20 MG</b>	3	MO; QL (62 per 31 days)
<b>VIIBRYD ORAL TABLET 40 MG</b>	3	MO; QL (31 per 31 days)
<b>VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)-20 MG (23)</b>	3	MO; QL (30 per 180 days)
<b>VRAYLAR ORAL CAPSULE 1.5 MG</b>	4	MO; QL (124 per 31 days)
<b>VRAYLAR ORAL CAPSULE 3 MG</b>	4	MO; QL (62 per 31 days)
<b>VRAYLAR ORAL CAPSULE 4.5 MG</b>	4	MO; QL (42 per 31 days)
<b>VRAYLAR ORAL CAPSULE 6 MG</b>	4	MO; QL (31 per 31 days)
<b>VRAYLAR ORAL CAPSULE,DOSE PACK</b>	4	MO; QL (7 per 30 days)
<b>XYREM</b>	5	PA; MO; LA
<i>zaleplon oral capsule 10 mg</i>	2	ST; MO; QL (62 per 31 days)
<i>zaleplon oral capsule 5 mg</i>	2	ST; MO; QL (31 per 31 days)
<i>ziprasidone hcl oral capsule 20 mg</i>	4	MO; QL (248 per 31 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>ziprasidone hcl oral capsule 40 mg</i>	4	MO; QL (124 per 31 days)
<i>ziprasidone hcl oral capsule 60 mg</i>	4	MO; QL (83 per 31 days)
<i>ziprasidone hcl oral capsule 80 mg</i>	4	MO; QL (62 per 31 days)
<b>zolpidem oral tablet</b>	2	ST; MO; QL (31 per 31 days)
<b>ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION N 210 MG</b>	4	
<b>CARDIOVASCULAR, HYPERTENSION / LIPIDS</b>		
<b>ANTIARRHYTHMIC AGENTS</b>		
<i>amiodarone intravenous solution</i>	2	B/D PA; MO
<i>amiodarone oral</i>	2	MO
<i>dofetilide</i>	3	MO
<i>flecainide</i>	2	MO
<i>mexiletine</i>	2	MO
<i>pacerone oral tablet 100 mg</i>	4	MO
<i>pacerone oral tablet 200 mg</i>	2	MO
<i>procainamide injection solution 100 mg/ml</i>	2	MO
<i>procainamide injection solution 500 mg/ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>propafenone oral capsule,extended release 12 hr</i>	4	MO	<i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg</i>	4	MO
<i>propafenone oral tablet 150 mg, 225 mg</i>	2	MO	<i>amlodipine-valsartan-hcthiazid oral tablet 5-160-12.5 mg, 5-160-25 mg</i>	2	MO
<i>propafenone oral tablet 300 mg</i>	4	MO	<i>atenolol</i>	1	MO
<i>quinidine gluconate oral</i>	4	MO	<i>atenolol-chlorthalidone</i>	1	MO
<i>quinidine sulfate oral tablet</i>	2	MO	<i>AZOR</i>	4	MO
<i>sorine oral tablet 120 mg, 160 mg, 80 mg</i>	2	MO	<i>benazepril</i>	1	MO
<i>sorine oral tablet 240 mg</i>	2		<i>benazepril-hydrochlorothiazide</i>	2	MO
<i>sotalol af oral tablet 120 mg</i>	2	MO	<i>BENICAR</i>	4	MO
<i>sotalol oral tablet 160 mg, 240 mg, 80 mg</i>	2	MO	<i>BENICAR HCT</i>	4	MO
<b>SOTYLIZE</b>	3	MO	<i>betaxolol oral</i>	2	MO
<b>ANTIHYPERTENSIVE THERAPY</b>					
<i>acebutolol</i>	2	MO	<i>BIDIL</i>	3	MO
<i>afeditab cr</i>	2	MO	<i>bisoprolol fumarate</i>	2	MO
<i>amiloride</i>	2	MO	<i>bisoprolol-hydrochlorothiazide</i>	1	MO
<i>amiloride-hydrochlorothiazide</i>	1	MO	<i>bumetanide injection</i>	2	MO
<i>amlodipine</i>	1	MO	<i>bumetanide oral</i>	1	MO
<i>amlodipine-benazepril</i>	4	MO	<i>BYSTOLIC</i>	4	MO
<i>amlodipine-olmesartan</i>	3	MO	<i>candesartan</i>	2	MO
<i>amlodipine-valsartan</i>	4	MO	<i>candesartan-hydrochlorothiazid</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
captopril-hydrochlorothiazide	2	MO	DIOVAN	4	MO
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg	2	MO	DIOVAN HCT	4	MO
cartia xt oral capsule,extended release 24hr 300 mg	3	MO	doxazosin oral tablet 1 mg, 2 mg, 4 mg	1	MO; QL (31 per 31 days)
carvedilol	1	MO	doxazosin oral tablet 8 mg	1	MO; QL (62 per 31 days)
chlorothiazide	1	MO	EDECRIN	4	MO
chlorothiazide sodium	2	MO	enalapril maleate	1	MO
chlorthalidone oral tablet 25 mg, 50 mg	1	MO	enalapril-hydrochlorothiazide	1	MO
clonidine	4	MO; QL (4 per 28 days)	eplerenone	2	MO
clonidine hcl oral tablet	1	MO	eprosartan	2	MO
COREG CR	3	MO	ethacrynic acid	3	MO
DEM SER	4	MO	felodipine	4	MO
diltiazem hcl intravenous	4		fosinopril	1	MO
diltiazem hcl oral capsule,extended release 12 hr	3	MO	fosinopril-hydrochlorothiazide	2	MO
diltiazem hcl oral capsule,extended release 24 hr 180 mg, 360 mg, 420 mg	3	MO	furosemide injection	2	MO
diltiazem hcl oral capsule,extended release 24hr 120 mg, 240 mg, 300 mg	2	MO	furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	2	MO
diltiazem hcl oral tablet	1	MO	furosemide oral tablet	1	MO
dilt-xr	2	MO	guanfacine oral tablet	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>labetalol intravenous solution</i>	2	MO	<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>labetalol oral</i>	2	MO	<i>nimodipine</i>	3	MO
<i>lisinopril</i>	1	MO	<i>nisoldipine</i>	4	MO
<i>lisinopril-hydrochlorothiazide</i>	1	MO	<i>olmesartan</i>	2	MO
<i>losartan</i>	1	MO	<i>olmesartanamlodipin-hcthiazid</i>	3	MO
<i>losartan-hydrochlorothiazide</i>	1	MO	<i>olmesartanhydrochlorothiazide</i>	2	MO
<i>matzim la</i>	2	MO	<i>perindopril erbumine</i>	1	MO
<i>methyclothiazide</i>	2	MO	<i>phenoxybenzamine</i>	3	MO
<i>methyldopa</i>	2	MO	<i>pindolol</i>	2	MO
<i>metolazone</i>	2	MO	<i>prazosin</i>	2	MO
<i>metoprolol succinate</i>	2	MO	<i>propranolol intravenous</i>	2	
<i>metoprolol tar-hydrochlorothiaz</i>	2	MO	<i>propranolol oral capsule,extended release 24 hr</i>	2	MO
<i>metoprolol tartrate intravenous solution</i>	2	MO	<i>propranolol oral solution</i>	2	MO
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	MO	<i>propranolol oral tablet</i>	1	MO
<i>minoxidil oral</i>	2	MO	<i>propranololhydrochlorothiazid</i>	2	MO
<i>moexipril</i>	1	MO	<i>quinapril</i>	1	MO
<i>moexipril-hydrochlorothiazide</i>	2	MO	<i>quinaprilhydrochlorothiazide</i>	2	MO
<i>nadolol oral tablet 20 mg, 40 mg</i>	2	MO	<i>ramipril</i>	1	MO
<i>nadolol oral tablet 80 mg</i>	4	MO	<i>REMODULIN</i>	5	PA; MO; LA
<i>nadolol-bendroflumethiazide</i>	2	MO	<i>spironolactone</i>	1	MO
<i>nicardipine oral</i>	2	MO	<i>spironolacton-hydrochlorothiaz</i>	1	MO
<i>nifedipine oral tablet extended release</i>	2	MO	<i>taztia xt</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
TEKTURNA	3	MO
TEKTURNA HCT	4	MO
<i>telmisartan</i>	2	MO
<i>telmisartan-amlodipine</i>	2	MO
<i>telmisartan-hydrochlorothiazid</i>	2	MO
<i>terazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	MO; QL (31 per 31 days)
<i>terazosin oral capsule 10 mg</i>	1	MO; QL (62 per 31 days)
<i>timolol maleate oral</i>	2	MO
<i>torsemide oral</i>	1	MO
<i>trandolapril</i>	1	MO
<i>trandolapril-verapamil</i>	2	MO
<i>triamterene-hydrochlorothiazid</i>	1	MO
TRIBENZOR	4	MO
UPTRAVI	5	PA; MO; LA
<i>valsartan</i>	2	MO
<i>valsartan-hydrochlorothiazide</i>	4	MO
<i>verapamil intravenous solution</i>	2	MO
<i>verapamil oral capsule, 24 hr er pellet ct</i>	1	MO
<i>verapamil oral capsule, ext rel. pellets 24 hr</i>	1	MO
<i>verapamil oral tablet</i>	1	MO
<i>verapamil oral tablet extended release 120 mg</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>verapamil oral tablet extended release 180 mg, 240 mg</i>	1	MO
<b>CARDIAC GLYCOSIDES</b>		
<i>digitek</i>	2	MO
<i>digoxin injection solution</i>	1	MO
<i>digoxin oral solution 50 mcg/ml</i>	2	MO
<i>digoxin oral tablet</i>	2	MO
LANOXIN ORAL TABLET 187.5 MCG, 62.5 MCG	3	MO
<b>COAGULATION THERAPY</b>		
AGGRENOX	4	MO
<i>aspirin-dipyridamole</i>	3	MO
BRILINTA	3	MO
<i>cilostazol</i>	2	MO
<i>clopidogrel</i>	1	MO
<i>dipyridamole oral</i>	2	MO
EFFIENT	3	MO
ELIQUIS	3	MO
<i>enoxaparin</i>	3	MO
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	MO
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	3	MO
FRAGMIN SUBCUTANEOUS SOLUTION	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI- XA UNIT/0.2 ML	4	MO	<i>amlodipine- atorvastatin oral tablet 10-10 mg, 10- 20 mg, 10-40 mg, 10-80 mg, 2.5-20 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	4	MO; QL (31 per 31 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml)</i>	2		<i>amlodipine- atorvastatin oral tablet 2.5-10 mg, 2.5-40 mg</i>	2	MO; QL (31 per 31 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	2	MO	<i>atorvastatin</i>	1	MO; QL (31 per 31 days)
<i>heparin (porcine) injection solution</i>	2	MO	<i>cholestyramine light</i>	2	MO
<i>jantoven</i>	1	MO	<i>colestipol oral granules</i>	2	MO
<i>pentoxifylline</i>	2	MO	<i>colestipol oral tablet</i>	2	MO
PLAVIX	4	MO	<i>CRESTOR</i>	3	MO; QL (31 per 31 days)
PRADAXA	4	MO	<i>ezetimibe</i>	3	MO
<i>prasugrel</i>	3	MO	<i>ezetimibe- simvastatin</i>	3	MO; QL (31 per 31 days)
PROMACTA	5	PA; MO; LA	<i>fenofibrate micronized</i>	2	MO
SAVAYSA	4	MO	<i>fenofibrate nanocrystallized</i>	2	MO
<i>warfarin</i>	1	MO	<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	MO
XARELTO	3	MO	<i>fenofibric acid</i>	2	MO
<b>LIPID/CHOLESTEROL LOWERING AGENTS</b>					
			<i>fenofibric acid (choline)</i>	2	MO
			<i>fluvastatin oral capsule 20 mg</i>	2	MO; QL (31 per 31 days)
			<i>fluvastatin oral capsule 40 mg</i>	2	MO; QL (62 per 31 days)
			<i>gemfibrozil</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
LIPOFEN	4	MO
<i>lovastatin oral tablet 10 mg</i>	1	MO; QL (31 per 31 days)
<i>lovastatin oral tablet 20 mg, 40 mg</i>	1	MO; QL (62 per 31 days)
<i>niacin oral tablet extended release 24 hr</i>	2	MO
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; MO; QL (2 per 28 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 75 MG/ML	5	PA; MO; QL (4 per 28 days)
<i>pravastatin</i>	1	MO; QL (31 per 31 days)
<i>prevalite oral powder</i>	2	MO
REPATHA PUSHTRONEX	5	PA; MO
REPATHA SURECLICK	5	PA; MO; QL (3 per 30 days)
REPATHA SYRINGE	5	PA; MO; QL (3 per 30 days)
<i>rosuvastatin</i>	3	MO; QL (31 per 31 days)
<i>simvastatin</i>	1	MO; QL (31 per 31 days)
VASCEPA	3	MO
VYTORIN 10-10	4	MO; QL (31 per 31 days)
VYTORIN 10-20	4	MO; QL (31 per 31 days)
VYTORIN 10-40	4	MO; QL (31 per 31 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
VYTORIN 10-80	4	MO; QL (31 per 31 days)
WELCHOL	3	MO
ZETIA	3	MO
<b>MISCELLANEOUS CARDIOVASCULAR AGENTS</b>		
CORLANOR	3	PA; MO
ENTRESTO	3	MO; QL (62 per 31 days)
RANEXA	3	MO
<b>NITRATES</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 5 mg</i>	4	MO
<i>isosorbide dinitrate oral tablet 30 mg</i>	2	MO
<i>isosorbide dinitrate oral tablet extended release</i>	2	MO
<i>isosorbide mononitrate</i>	1	MO
<i>nitro-bid</i>	2	MO
<i>nitroglycerin intravenous</i>	2	B/D PA
<i>nitroglycerin sublingual</i>	2	MO
<i>nitroglycerin transdermal patch 24 hour</i>	2	MO
<i>nitroglycerin translingual spray,non-aerosol</i>	2	MO
<b>DERMATOLOGICALS/TOPICAL THERAPY</b>		
<b>ANTIPSORIATIC / ANTISEBORRHEIC</b>		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>acitretin</i>	5	MO
<i>calcipotriene scalp</i>	3	MO
<i>calcipotriene topical cream</i>	3	MO
<i>calcipotriene topical ointment</i>	4	MO
<i>calcipotriene-betamethasone</i>	4	MO
<i>calcitriol topical</i>	4	MO
<i>selenium sulfide topical lotion</i>	2	MO
<b>BURN THERAPY</b>		
<i>silver sulfadiazine</i>	2	MO
<i>ssd</i>	2	MO
<b>MISCELLANEOUS DERMATOLOGICALS</b>		
<i>ammonium lactate</i>	2	MO
<i>CARAC</i>	4	MO
<i>diclofenac sodium topical gel 3 %</i>	5	PA; MO
<i>doxepin topical</i>	4	MO
<i>DUPIXENT</i>	5	PA; MO
<i>fluorouracil topical cream 5 %</i>	3	MO
<i>fluorouracil topical solution</i>	3	MO
<i>imiquimod</i>	3	MO
<i>methoxsalen</i>	5	MO
<i>PANRETIN</i>	4	MO
<i>podofilox</i>	2	MO
<i>prodoxin</i>	4	MO
<i>REGRANEX</i>	5	MO
<i>tacrolimus topical</i>	3	PA; MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>VALCHLOR</i>	5	MO
<b>THERAPY FOR ACNE</b>		
<i>adapalene topical cream</i>	2	PA; MO
<i>adapalene topical gel 0.1 %</i>	2	PA; MO
<i>adapalene topical gel 0.3 %</i>	4	PA; MO
<i>adapalene-benzoyl peroxide</i>	3	PA; MO
<i>avita topical cream</i>	2	PA; MO
<i>claravis</i>	4	MO
<i>clindamycin phosphate topical foam</i>	4	MO
<i>clindamycin phosphate topical gel</i>	2	MO
<i>clindamycin phosphate topical lotion</i>	2	MO
<i>clindamycin phosphate topical solution</i>	2	MO
<i>clindamycin phosphate topical swab</i>	2	MO
<i>clindamycin-benzoyl peroxide topical gel</i>	4	MO
<i>clindamycin-tretinoin</i>	3	PA; MO
<i>ery pads</i>	2	MO
<i>erygel</i>	2	MO
<i>erythromycin with ethanol topical gel</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>erythromycin with ethanol topical solution</i>	2	MO	<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	MO
<i>erythromycin-benzoyl peroxide</i>	4	MO	<i>lidocaine hcl urethral</i>	2	MO
<i>metronidazole topical cream</i>	2	MO	<i>lidocaine topical adhesive patch,medicated</i>	2	PA; MO
<i>metronidazole topical gel</i>	2	MO	<i>lidocaine topical ointment</i>	4	MO; QL (36 per 30 days)
<i>metronidazole topical lotion</i>	2	MO	<i>lidocaine viscous</i>	2	MO
<i>neuac</i>	2	MO	<i>lidocaine-prilocaine topical cream</i>	2	MO
<i>tazarotene</i>	3	PA; MO	<b>LIDODERM</b>	4	PA; MO
<b>TAZORAC</b>	3	PA; MO	<b>TOPICAL ANTIBACTERIALS</b>		
<i>tretinoin microspheres topical gel with pump</i>	4	PA; MO	<i>gentamicin topical</i>	2	MO
<i>tretinoin topical cream 0.025 %</i>	2	PA; MO	<i>mupirocin</i>	2	MO
<i>tretinoin topical cream 0.05 %, 0.1 %</i>	3	PA; MO	<i>mupirocin calcium</i>	2	MO
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	3	PA; MO	<i>sulfacetamide sodium (acne)</i>	2	MO
<b>TOPICAL ANESTHETICS</b>			<b>SULFAMYLYON TOPICAL CREAM</b>	3	MO
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 5 mg/ml (0.5 %)</i>	2	MO	<b>TOPICAL ANTIFUNGALS</b>		
<i>lidocaine hcl injection solution 20 mg/ml (2 %)</i>	2	MO	<i>ciclopirox topical cream</i>	4	MO
<i>lidocaine hcl mucous membrane jelly</i>	2	MO	<i>ciclopirox topical gel</i>	4	MO
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO	<i>ciclopirox topical shampoo</i>	4	MO
			<i>ciclopirox topical solution</i>	2	MO
			<i>ciclopirox topical suspension</i>	4	MO
			<i>clotrimazole topical</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>clotrimazole- betamethasone</i>	4	MO	<i>betamethasone valerate topical ointment</i>	2	MO
<i>econazole</i>	4	MO	<i>betamethasone, augmented topical cream</i>	2	MO
<i>ketoconazole topical</i>	2	MO	<i>betamethasone, augmented topical gel</i>	4	MO
<i>naftifine</i>	3	MO	<i>betamethasone, augmented topical lotion</i>	4	MO
<b>NAFTIN TOPICAL CREAM 2 %</b>	3	MO	<i>betamethasone, augmented topical ointment</i>	4	MO
<b>NAFTIN TOPICAL GEL</b>	3	MO	<i>clobetasol scalp</i>	2	MO
<i>nyamyc</i>	2	MO	<i>clobetasol topical foam</i>	4	MO
<i>nyata</i>	3		<i>clobetasol topical gel</i>	2	MO
<i>nystatin topical</i>	2	MO	<i>clobetasol topical lotion</i>	4	MO
<i>nystatin- triamcinolone</i>	4	MO	<i>clobetasol topical ointment</i>	4	MO
<i>nystop</i>	4	MO	<i>clobetasol topical shampoo</i>	4	MO
<b>TOPICAL ANTIVIRALS</b>					
<i>acyclovir topical</i>	4	MO	<i>clobetasol topical spray,non-aerosol</i>	2	MO
<b>DENAVIR</b>	3	MO	<i>clobetasol-emollient topical cream</i>	2	MO
<b>TOPICAL CORTICOSTEROIDS</b>					
<i>alclometasone</i>	2	MO	<i>clodan</i>	4	MO
<i>amcinonide</i>	4	MO	<b>CORDRAN TAPE LARGE ROLL</b>	3	MO
<i>apexicon e</i>	2	MO	<i>desonide</i>	4	MO
<i>betamethasone dipropionate</i>	4	MO	<i>desoximetasone</i>	4	MO
<i>betamethasone valerate topical cream</i>	2	MO	<i>diflorasone</i>	4	MO
<i>betamethasone valerate topical foam</i>	4	MO	<i>fluocinolone</i>	4	MO
<i>betamethasone valerate topical lotion</i>	4	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>fluocinonide topical cream 0.05 %</i>	2	MO	<i>hydrocortisone valerate topical cream</i>	2	MO
<i>fluocinonide topical cream 0.1 %</i>	4	MO	<i>hydrocortisone valerate topical ointment</i>	4	MO
<i>fluocinonide topical gel</i>	2	MO	<i>mometasone topical</i>	2	MO
<i>fluocinonide topical ointment</i>	2	MO	<i>nolix</i>	3	
<i>fluocinonide topical solution</i>	2	MO	<i>prednicarbate</i>	2	MO
<i>fluocinonide-e</i>	2	MO	<i>triamcinolone acetonide topical aerosol</i>	2	MO
<i>fluticasone topical cream</i>	2	MO	<i>triamcinolone acetonide topical cream</i>	2	MO
<i>fluticasone topical lotion</i>	4	MO	<i>triamcinolone acetonide topical lotion</i>	2	MO
<i>fluticasone topical ointment</i>	2	MO	<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	MO
<i>halobetasol propionate</i>	4	MO	<i>trianex</i>	2	MO
<i>hydrocortisone butyrate topical ointment</i>	2	MO	<i>triderm topical cream 0.1 %</i>	2	MO
<i>hydrocortisone butyrate topical solution</i>	2	MO	<b>TOPICAL ENZYMES</b>		
<i>hydrocortisone butyr-emollient</i>	4	MO	<b>SANTYL</b>	3	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	2	MO	<b>TOPICAL SCABICIDES / PEDICULICIDES</b>		
<i>hydrocortisone topical lotion 2.5 %</i>	2	MO	<b>EURAX</b>	3	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	2	MO	<i>lindane topical shampoo</i>	2	MO
			<i>malathion</i>	2	MO
			<i>permethrin topical cream</i>	2	MO
			<b>SKLICE</b>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>DIAGNOSTICS / MISCELLANEOUS AGENTS</b>		
<b>MISCELLANEOUS AGENTS</b>		
<i>acamprosate</i>	2	MO
ADAGEN	5	MO
<i>alendronate oral tablet 40 mg</i>	1	MO; QL (31 per 31 days)
<i>anagrelide</i>	2	MO
ARALAST NP INTRAVENOUS RECON SOLN 500 MG	5	MO; LA
AURYXIA	4	MO
CARBAGLU	5	MO; LA
<i>cevimeline</i>	4	MO
CHEMET	3	MO
<i>d10 %-0.45 % sodium chloride</i>	2	
<i>d2.5 %-0.45 % sodium chloride</i>	2	
<i>d5 % and 0.9 % sodium chloride</i>	2	MO
<i>d5 %-0.45 % sodium chloride</i>	2	MO
<i>dextrose 10 % and 0.2 % nacl</i>	2	
<i>dextrose 10 % in water (d10w)</i>	2	MO
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	MO
<i>dextrose 5 %-lactated ringers</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>dextrose 5%-0.2 % sod chloride</i>	2	
<i>dextrose 5%-0.3 % sod.chloride</i>	2	
<i>dextrose with sodium chloride</i>	2	
<i>disulfiram</i>	2	MO
<i>etidronate disodium</i>	4	MO
EXJADE	5	MO; LA
FERRIPROX ORAL TABLET	5	MO
INCRELEX	5	MO; LA
<i>kionex</i>	2	MO
<i>levocarnitine (with sugar)</i>	2	MO
<i>levocarnitine oral tablet</i>	2	MO
<i>midodrine</i>	2	MO
NORTHERA	5	PA; MO
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG	5	LA
ORFADIN ORAL CAPSULE 20 MG	5	MO
ORFADIN ORAL SUSPENSION	5	MO; LA
<i>pilocarpine hcl oral</i>	2	MO
PROLASTIN-C	5	LA
RAVICTI	5	MO
RENAGEL	4	MO
RENELVA	5	MO
<i>riluzole</i>	3	MO
<i>risedronate oral tablet 30 mg</i>	4	MO; QL (31 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>sevelamer carbonate</i>	2	MO
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	MO
<i>sodium chloride irrigation</i>	2	MO
<i>sodium polystyrene (sorb free)</i>	2	MO
<i>sps (with sorbitol) oral</i>	3	MO
<b>SYPRINE</b>	5	MO
<b>VELTASSA</b>	3	MO
<i>zoledronic acid-mannitol-water</i>	3	PA; MO
<b>SMOKING DETERRENTS</b>		
<i>bupropion hcl (smoking deter)</i>	2	MO
<b>CHANTIX</b>	3	MO
<b>CHANTIX CONTINUING MONTH BOX</b>	3	MO
<b>CHANTIX STARTING MONTH BOX</b>	3	MO
<b>NICOTROL</b>	4	MO
<b>NICOTROL NS</b>	4	MO
<b>EAR, NOSE / THROAT MEDICATIONS</b>		
<b>MISCELLANEOUS AGENTS</b>		
<i>azelastine nasal</i>	2	MO; QL (60 per 30 days)
<i>chlorhexidine gluconate mucous membrane</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>ipratropium bromide nasal</i>	2	MO; QL (30 per 30 days)
<i>olopatadine nasal</i>	4	MO; QL (30.5 per 30 days)
<b>periogard</b>	2	MO
<i>triamcinolone acetonide dental</i>	2	MO
<b>MISCELLANEOUS OTIC PREPARATIONS</b>		
<i>acetic acid otic (ear)</i>	2	MO
<i>floxin otic (ear) drops</i>	2	
<i>fluocinolone acetonide oil</i>	4	MO
<i>hydrocortisone-acetic acid</i>	2	MO
<i>ofloxacin otic (ear)</i>	2	MO
<b>OTIC STEROID / ANTIBIOTIC</b>		
<b>CIPRO HC</b>	4	MO
<b>CIPRODEX</b>	3	MO
<i>neomycin-polymyxin-hc otic (ear)</i>	2	MO
<b>ENDOCRINE/DIABETES</b>		
<b>ADRENAL HORMONES</b>		
<i>cortisone</i>	2	MO
<b>DEPO-MEDROL</b>	3	MO
<i>dexamethasone intensol</i>	2	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

Drug Name	Drug Tier	Requirements /Limits
<i>dexamethasone sodium phosphate injection solution</i>	2	MO
<i>fludrocortisone</i>	2	MO
<i>hydrocortisone oral</i>	2	MO
<i>methylprednisolone acetate</i>	2	MO
<i>methylprednisolone oral tablet</i>	1	B/D PA; MO
<i>methylprednisolone oral tablets, dose pack</i>	1	MO
<i>methylprednisolone sodium succ injection recon soln 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous</i>	2	MO
<i>prednisolone sodium phosphate oral solution 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisolone sodium phosphate oral tablet, disintegrating 10 mg</i>	4	B/D PA; MO
<i>prednisolone sodium phosphate oral tablet, disintegrating 15 mg, 30 mg</i>	2	B/D PA; MO
<i>prednisone intensol</i>	4	B/D PA; MO
<i>prednisone oral solution</i>	2	MO

Drug Name	Drug Tier	Requirements /Limits
<i>prednisone oral tablet</i>	1	B/D PA; MO
<i>prednisone oral tablets,dose pack</i>	1	MO
SOLU-CORTEF (PF) INJECTION RECON SOLN 100 MG/2 ML, 250 MG/2 ML	3	MO
<b>ANTITHYROID AGENTS</b>		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	MO
<i>propylthiouracil</i>	2	MO
<b>DIABETES THERAPY</b>		
<i>acarbose oral tablet 100 mg</i>	2	MO; QL (93 per 31 days)
<i>acarbose oral tablet 25 mg</i>	2	MO; QL (372 per 31 days)
<i>acarbose oral tablet 50 mg</i>	2	MO; QL (186 per 31 days)
ACTOS	4	MO; QL (31 per 31 days)
<i>alcohol pads</i>	2	MO
BYDUREON	3	MO; QL (4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	3	MO; QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	3	MO; QL (1.2 per 30 days)
CYCLOSET	4	MO; QL (186 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
GAUZE PADS 2 X 2	3	MO	HUMALOG KWIKPEN	3	MO
glimepiride oral tablet 1 mg	1	MO; QL (248 per 31 days)	HUMALOG MIX 50-50	3	MO
glimepiride oral tablet 2 mg	1	MO; QL (124 per 31 days)	HUMALOG MIX 50-50 KWIKPEN	3	MO
glimepiride oral tablet 4 mg	1	MO; QL (62 per 31 days)	HUMALOG MIX 75-25	3	MO
glipizide oral tablet 10 mg	1	MO; QL (124 per 31 days)	HUMALOG MIX 75-25 KWIKPEN	3	MO
glipizide oral tablet 5 mg	1	MO; QL (248 per 31 days)	HUMULIN 70/30	3	MO
glipizide oral tablet extended release 24hr 10 mg	1	MO; QL (62 per 31 days)	HUMULIN 70/30 KWIKPEN	3	MO
glipizide oral tablet extended release 24hr 2.5 mg	1	MO; QL (248 per 31 days)	HUMULIN N	3	MO
glipizide oral tablet extended release 24hr 5 mg	1	MO; QL (124 per 31 days)	HUMULIN N KWIKPEN	3	MO
glipizide-metformin oral tablet 2.5-250 mg	2	MO; QL (248 per 31 days)	HUMULIN R U-100	3	MO
glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg	2	MO; QL (124 per 31 days)	HUMULIN R U-500 (CONCENTRATED )	3	MO
GLUCAGEN HYPOKIT	3	MO	INSULIN PEN NEEDLE	3	MO
GLUCAGON EMERGENCY KIT (HUMAN)	3	MO	INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	3	MO
glyburide	2	MO	INVOKANA ORAL TABLET 100 MG	3	MO; QL (93 per 31 days)
glyburide micronized	1	MO	INVOKANA ORAL TABLET 300 MG	3	MO; QL (31 per 31 days)
glyburide-metformin	2	MO	JANUMET	3	MO; QL (62 per 31 days)
HUMALOG	3	MO	JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-500 MG	3	MO; QL (31 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG	3	MO; QL (62 per 31 days)	<i>metformin oral tablet,er</i> <i>gast.retention 24 hr 500 mg</i>	1	MO; QL (124 per 31 days)
JANUVIA	3	MO; QL (31 per 31 days)	<i>nateglinide oral tablet 120 mg</i>	2	MO; QL (93 per 31 days)
JARDIANCE	3	MO; QL (31 per 31 days)	<i>nateglinide oral tablet 60 mg</i>	2	MO; QL (186 per 31 days)
JENTADUETO	3	MO; QL (62 per 31 days)	NEEDLES, INSULIN DISP.,SAFETY	3	MO
LANTUS	3	MO	NOVOFINE 30	3	MO
LANTUS SOLOSTAR	3	MO	NOVOFINE 32	3	MO
<i>metformin oral tablet 1,000 mg</i>	1	MO; QL (78 per 31 days)	NOVOFINE AUTOCOVER	3	MO
<i>metformin oral tablet 500 mg</i>	1	MO; QL (155 per 31 days)	NOVOLOG	4	MO
<i>metformin oral tablet 850 mg</i>	1	MO; QL (93 per 31 days)	NOVOLOG FLEXPEN	4	MO
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	MO; QL (124 per 31 days)	NOVOLOG MIX 70-30	4	MO
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	MO; QL (78 per 31 days)	NOVOLOG MIX 70-30 FLEXPEN	4	MO
<i>metformin oral tablet extended release (osm) 24 hr 1,000 mg</i>	3	MO; QL (78 per 31 days)	NOVOLOG PENFILL	4	MO
<i>metformin oral tablet extended release (osm) 24 hr 500 mg</i>	1	MO; QL (155 per 31 days)	<i>pioglitazone</i>	2	MO; QL (31 per 31 days)
<i>metformin oral tablet,er</i> <i>gast.retention 24 hr 1,000 mg</i>	3	MO	<i>pioglitazone-</i> <i>glimepiride</i>	4	MO; QL (31 per 31 days)
			<i>pioglitazone-</i> <i>metformin</i>	4	MO; QL (93 per 31 days)
			PROGLYCEM	5	MO
			<i>repaglinide oral tablet 0.5 mg</i>	2	MO; QL (992 per 31 days)
			<i>repaglinide oral tablet 1 mg</i>	2	MO; QL (496 per 31 days)
			<i>repaglinide oral tablet 2 mg</i>	2	MO; QL (248 per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>repaglinide-metformin</i>	3	MO; QL (155 per 31 days)	ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; MO
RIOMET	3	MO; QL (791 per 31 days)	ANDROGEL TRANSDERMAL GEL IN PACKET	3	PA; MO
SYMLINPEN 120	5	PA; MO; QL (18.9 per 30 days)	ANDROID	4	MO
SYMLINPEN 60	5	PA; MO; QL (10.5 per 30 days)	AXIRON	4	PA; MO
TANZEUM	4	MO; QL (4 per 28 days)	<i>cabergoline</i>	2	MO
<i>tolazamide oral tablet 250 mg</i>	2	MO; QL (124 per 31 days)	<i>calcitonin (salmon)</i>	4	MO
<i>tolazamide oral tablet 500 mg</i>	2	MO; QL (62 per 31 days)	<i>calcitriol intravenous solution 1 mcg/ml</i>	2	MO
<i>tolbutamide</i>	2	MO; QL (186 per 31 days)	<i>calcitriol oral</i>	2	MO
TOUJEO SOLOSTAR	3	MO	CERDELGA	5	MO
TRADJENTA	3	MO; QL (31 per 31 days)	CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	MO
TRULICITY	4	MO; QL (2 per 28 days)	<i>chorionic gonadotropin, human</i>	3	PA; MO
VGO 20	3	MO	<i>danazol oral capsule 100 mg, 50 mg</i>	2	MO
VGO 30	3	MO	<i>danazol oral capsule 200 mg</i>	4	MO
VGO 40	3	MO	<i>desmopressin injection</i>	2	MO
VICTOZA 2-PAK	3	MO; QL (9 per 30 days)	<i>desmopressin nasal solution</i>	2	
VICTOZA 3-PAK	3	MO; QL (9 per 30 days)	<i>desmopressin nasal spray, non-aerosol</i>	3	MO
<b>MISCELLANEOUS HORMONES</b>					
ALDURAZYME	5	MO	<i>desmopressin oral</i>	2	MO
ANADROL-50	4	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>doxercalciferol oral capsule 0.5 mcg</i>	4	MO
<i>doxercalciferol oral capsule 1 mcg, 2.5 mcg</i>	5	MO
ELAPRASE	5	MO
FABRAZYME INTRAVENOUS RECON SOLN 35 MG	5	MO
KANUMA	5	MO
KORLYM	5	MO
KUVAN	5	MO
LUMIZYME	5	MO
<i>methyltestosterone oral capsule</i>	5	MO
MIACALCIN INJECTION	4	MO
MYALEPT	5	PA; MO; LA
NAGLAZYME	5	MO; LA
NATPARA	5	PA; MO; LA
<i>oxandrolone oral tablet 10 mg</i>	5	PA; MO
<i>oxandrolone oral tablet 2.5 mg</i>	3	PA; MO
PARICALCITOL INTRAVENOUS	3	
<i>paricalcitol oral capsule 1 mcg, 4 mcg</i>	2	MO
<i>paricalcitol oral capsule 2 mcg</i>	4	MO
SAMSCA	5	PA; MO
SENSIPAR ORAL TABLET 30 MG	3	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SENSIPAR ORAL TABLET 60 MG, 90 MG	5	MO
SOMAVERT	5	MO
STIMATE	3	MO
STRENSIQ	5	MO; LA
SYNAREL	4	MO
<i>testosterone cypionate</i>	2	MO
<i>testosterone enanthate</i>	2	MO
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>	3	PA; MO
<i>zoledronic acid intravenous solution</i>	3	MO
<b>THYROID HORMONES</b>		
<i>levothyroxine oral</i>	1	MO
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
<i>liothyronine oral</i>	2	MO
<i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	MO
<b>GASTROENTEROLOGY</b>		
<b>ANTIDIARRHEALS / ANTISPASMODICS</b>		
<i>atropine injection syringe 0.05 mg/ml</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>dicyclomine oral capsule</i>	2	MO	CYSTADANE	5	MO
<i>dicyclomine oral solution</i>	2	MO	DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS)	3	MO
<i>dicyclomine oral tablet</i>	2	MO	<i>dronabinol oral capsule 10 mg</i>	5	B/D PA; MO
<i>glycopyrrolate injection</i>	2	MO	<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	B/D PA; MO
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	MO	EMEND INTRAVENOUS	3	MO
<i>loperamide oral capsule</i>	2	MO	EMEND ORAL CAPSULE	3	B/D PA; MO
<b>MISCELLANEOUS GASTROINTESTINAL AGENTS</b>			EMEND ORAL CAPSULE,DOSE PACK	3	B/D PA; MO
<i>alosetron</i>	5	MO	EMEND ORAL SUSPENSION FOR RECONSTITUTION	3	B/D PA
ALOXI	5	MO	<i>enulose</i>	2	MO
AMITIZA	3	MO	GATTEX ONE-VIAL	5	MO
<i>aprepitant</i>	3	B/D PA; MO	<i>gavilyte-c</i>	2	MO
APRISO	3	MO	<i>gavilyte-g</i>	2	MO
ASACOL HD	3	MO	<i>gavilyte-n</i>	2	MO
<i>balsalazide</i>	2	MO	<i>generlac</i>	2	MO
<i>budesonide oral</i>	5	MO	<i>gransetron (pf) intravenous solution 100 mcg/ml</i>	4	MO
CANASA	4	MO	<i>gransetron hcl intravenous solution 1 mg/ml</i>	4	MO
CHENODAL	5	PA; LA	<i>gransetron hcl intravenous solution 1 mg/ml (1 ml)</i>	3	MO
CHOLBAM ORAL CAPSULE 250 MG	5	PA; MO	<i>gransetron hcl oral</i>	4	B/D PA; MO
CHOLBAM ORAL CAPSULE 50 MG	5	PA; MO; QL (124 per 31 days)			
<i>compro</i>	2	MO			
<i>constulose</i>	2	MO			
CORTIFOAM	3	MO			
CREON	3	MO			
<i>cromolyn oral</i>	4	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
hydrocortisone rectal	2	MO	peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram	2	MO
lactulose oral solution 10 gram/15 ml	2	MO	peg-electrolyte soln	2	
LIALDA	3	MO	PENTASA	3	MO
LINZESS	3	MO	polyethylene glycol 3350 oral powder	2	MO
meclizine oral tablet 12.5 mg, 25 mg	2	MO	prochlorperazine	4	MO
mesalamine with cleansing wipe	3	MO	prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)	2	MO
metoclopramide hcl injection solution	2	MO	prochlorperazine maleate oral	1	MO
metoclopramide hcl oral solution	2	MO	procto-med hc	2	MO
metoclopramide hcl oral tablet	1	MO	procto-pak	2	MO
metoclopramide hcl oral tablet,disintegrating 10 mg	3	MO	proctosol hc topical	2	MO
metoclopramide hcl oral tablet,disintegrating 5 mg	4	MO	proctozone-hc	2	MO
MOVIPREP	4	MO	RECTIV	3	MO
OCALIVA	5	PA; MO; LA	RELISTOR SUBCUTANEOUS SOLUTION	5	MO
ondansetron	2	B/D PA; MO	RELISTOR SUBCUTANEOUS SYRINGE	5	MO
ondansetron hcl (pf) injection solution	2	MO	REMICADE	5	PA; MO
ondansetron hcl oral solution	2	B/D PA; MO	SUCRAID	5	MO
ondansetron hcl oral tablet 24 mg	2	B/D PA	sulfasalazine	2	MO
ondansetron hcl oral tablet 4 mg, 8 mg	2	B/D PA; MO	SUPREP BOWEL PREP KIT	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
UCERIS ORAL	5	MO	<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i>	2	MO; QL (31 per 31 days)
<i>ursodiol oral capsule</i>	2	MO	<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i>	2	MO
<i>ursodiol oral tablet</i>	3	MO	<i>misoprostol</i>	2	MO
VIOKACE ORAL TABLET 10,440-39,150- 39,150 UNIT	3	MO	NEXIUM IV INTRAVENOUS RECON SOLN 40 MG	4	MO
VIOKACE ORAL TABLET 20,880-78,300- 78,300 UNIT	5	MO	NEXIUM ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 20 MG	3	MO; QL (31 per 31 days)
ZENPEP	3	MO	NEXIUM ORAL CAPSULE,DELAY ED RELEASE(DR/EC) 40 MG	3	MO
<b>ULCER THERAPY</b>					
<i>amoxicil- clarithromy- lansopraz</i>	2	MO; QL (112 per 30 days)	NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 2.5 MG, 20 MG, 5 MG	3	MO; QL (30 per 30 days)
<i>carafate oral suspension</i>	4	MO	NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	3	MO
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 30 MG	4	MO; QL (31 per 31 days)	NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 10 MG, 2.5 MG, 20 MG, 5 MG	3	MO; QL (30 per 30 days)
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEASE 60 MG	4	MO	NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 40 MG	3	MO
<i>esomeprazole sodium</i>	2		<i>nizatidine oral capsule</i>	2	MO
<i>famotidine (pf)</i>	2	MO	<i>nizatidine oral solution</i>	4	MO
<i>famotidine (pf)-nacl (iso-os)</i>	2	MO	<i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg</i>	1	MO; QL (31 per 31 days)
<i>famotidine oral suspension</i>	2	MO			
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>omeprazole oral capsule, delayed release (dr/ec) 40 mg</i>	1	MO	ARCALYST	5	PA; MO
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i>	4	MO; QL (31 per 31 days)	ILARIS (PF) SUBCUTANEOUS RECON SOLN	5	PA; MO
<i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>	2	MO	INTRON A INJECTION	5	MO
<i>pantoprazole intravenous</i>	2	MO	MOZOBIL	5	MO
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i>	1	MO; QL (31 per 31 days)	NEULASTA SUBCUTANEOUS SYRINGE	5	PA; MO
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i>	1	MO	NEUPOGEN	5	PA; MO
PYLERA	4	MO	NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; MO
rabeprazole	2	MO	PEGASYS PROCICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	5	MO; QL (2 per 28 days)
<i>ranitidine hcl oral capsule 150 mg</i>	2	MO	PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days)
<i>ranitidine hcl oral capsule 300 mg</i>	1	MO	PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days)
<i>ranitidine hcl oral syrup</i>	2	MO	PEGINTRON REDIPEN SUBCUTANEOUS PEN INJECTOR KIT 120 MCG/0.5 ML	5	QL (4 per 28 days)
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	MO			
<i>sucralfate oral tablet</i>	2	MO			
<b>IMMUNOLOGY, VACCINES / BIOTECHNOLOGY</b>					
<b>BIOTECHNOLOGY DRUGS</b>					
ACTIMMUNE	5	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
PROCERIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO	BEXSERO	3	MO
PROCERIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO	BOOSTRIX TDAP	3	MO
PROLEUKIN	4	MO	BOTOX	3	PA; MO
REBIF (WITH ALBUMIN)	5	PA; MO; QL (6 per 28 days)	DAPTACEL (DTAP PEDIATRIC) (PF)	3	MO
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; MO; QL (6 per 28 days)	ENGERIX-B (PF) INTRAMUSCULAR SYRINGE	3	B/D PA; MO
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; MO; QL (4.2 per 180 days)	ENGERIX-B PEDIATRIC (PF)	3	B/D PA; MO
REBIF TITRATION PACK	5	PA; MO; QL (4.2 per 180 days)	GAMASTAN S/D	3	MO
SYLATRON	5	MO	GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 <td>4</td> <td>PA; MO</td>	4	PA; MO
<b>VACCINES / MISCELLANEOUS IMMUNOLOGICALS</b>			GARDASIL 9 (PF)	3	MO
ACTHIB (PF)	3	MO	GRASTEK	3	PA; MO
ADACEL(TDAP ADOLESN/ADULT (PF) INTRAMUSCULAR SUSPENSION	3	MO	HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	MO
BCG VACCINE, LIVE (PF)	3	MO	HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
			HIBERIX (PF)	3	MO
			IMOgam RABIES-HT (PF)	3	MO
			IMOvax RABIES VACCINE (PF)	3	MO
			INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
IPOL	3	MO	ROTARIX	3	
IXIARO (PF)	3	MO	ROTATEQ VACCINE	3	MO
KINRIX (PF) INTRAMUSCULAR SUSPENSION	3		TENIVAC (PF) INTRAMUSCULAR SYRINGE	3	MO
KINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO	TETANUS,DIPHTHERIA TOXOID(PF)	3	MO
MENACTRA (PF) INTRAMUSCULAR SOLUTION	3	MO	TETANUS-DIPHThERIA TOXOIDS-TD	3	MO
MENVEO A-C-Y-W-135-DIP (PF)	3	MO	TRUMENBA	3	MO
M-M-R II (PF)	3	MO	TWINRIX (PF) INTRAMUSCULAR SUSPENSION	3	MO
PEDIARIX (PF)	3	MO	TYPHIM VI INTRAMUSCULAR SOLUTION	3	
PEDVAX HIB (PF)	3	MO	TYPHIM VI INTRAMUSCULAR SYRINGE	3	MO
PRIVIGEN	5	PA; MO	VAQTA (PF) INTRAMUSCULAR SYRINGE	3	MO
PROQUAD (PF)	3	MO	VARIVAX (PF)	3	MO
QUADRACEL (PF)	3		VARIZIG INTRAMUSCULAR SOLUTION	5	MO
RABAVERT (PF)	3	MO	YF-VAX (PF)	3	MO
RAGWITEK	3	MO	ZOSTAVAX (PF)	3	MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML	3	B/D PA; MO	<b>MUSCULOSKELETAL / RHEUMATOLOGY</b>		
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML	3	B/D PA; MO	<b>GOUT THERAPY</b>		
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML	3	B/D PA	<i>allopurinol</i>	1	MO
			COLCHICINE	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
COLCRYS	3	MO
<i>probenecid</i>	2	MO
<i>probenecid-colchicine</i>	2	MO
ULORIC	3	MO
<b>OSTEOPOROSIS THERAPY</b>		
ACTONEL ORAL TABLET 150 MG	4	MO; QL (1 per 30 days)
<i>alendronate oral solution</i>	2	MO; QL (1350 per 31 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	MO; QL (31 per 31 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	MO; QL (4 per 28 days)
EVISTA	3	MO
FORTEO	4	PA; MO; QL (2.4 per 28 days)
<i>ibandronate oral</i>	3	MO; QL (1 per 31 days)
PROLIA	4	PA; MO
<i>raloxifene</i>	2	MO
<i>risedronate oral tablet 150 mg</i>	2	MO; QL (1 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	3	MO; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i>	4	MO; QL (31 per 31 days)
<i>risedronate oral tablet, delayed release (dr/ec)</i>	4	MO; QL (4 per 28 days)
TYMLOS	5	PA; MO; QL (1.56 per 30 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>OTHER RHEUMATOLOGICALS</b>		
BENLYSTA INTRAVENOUS	5	MO
DEPEN TITRATABS	3	MO
ENBREL	5	PA; MO; QL (8 per 28 days)
ENBREL SURECLICK	5	PA; MO; QL (8 per 28 days)
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (3 per 180 days)
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN	5	PA; MO; QL (4 per 28 days)
HUMIRA PEN CROHN'S-UC-HS START	5	PA; MO; QL (6 per 180 days)
HUMIRA PEN PSORIASIS-UVEITIS	5	PA; MO; QL (4 per 180 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>leflunomide</i>	2	MO; QL (31 per 31 days)
ORENCIA	5	PA; MO
ORENCIA (WITH MALTOSE)	5	PA; MO
ORENCIA CLICKJECT	5	PA; MO
SAVELLA ORAL TABLET	3	MO; QL (62 per 31 days)
SAVELLA ORAL TABLETS,DOSE PACK	3	MO; QL (55 per 30 days)

## OBSTETRICS / GYNECOLOGY

### ESTROGENS / PROGESTINS

<i>amabelz</i>	3	MO
<i>camila</i>	2	MO
CLIMARA PRO	4	PA; MO
COMBIPATCH	4	PA; MO
CRINONE VAGINAL GEL 4 %	4	MO
CRINONE VAGINAL GEL 8 %	4	PA; MO
<i>deblitane</i>	2	MO
<i>errin</i>	2	MO
ESTRACE VAGINAL	3	MO
<i>estradiol oral</i>	2	PA; MO
<i>estradiol transdermal patch semiweekly</i>	2	PA; MO; QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i>	2	PA; MO; QL (4 per 28 days)

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	MO
<i>estradiol-norethindrone acet</i>	2	MO
<i>estropipate</i>	2	PA; MO
<i>fyavolv</i>	3	MO
<i>hydroxyprogesterone caproate</i>	5	MO
<i>jinteli</i>	2	MO
<i>jolivette</i>	2	MO
<i>lyza</i>	2	MO
MAKENA INTRAMUSCULAR OIL 250 MG/ML (1 ML)	5	MO
<i>medroxyprogesterone intramuscular suspension</i>	2	MO
<i>medroxyprogesterone oral</i>	2	MO
<i>nora-be</i>	2	MO
<i>norethindrone (contraceptive)</i>	2	MO
<i>norethindrone acetate</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	MO
<i>norlyroc</i>	2	
PREMARIN ORAL	3	MO
PREMPHASE	3	PA; MO
PREMPRO	3	MO
<i>progesterone micronized</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>sharobel</i>	2	MO
<i>yuvafem</i>	3	MO
<b>MISCELLANEOUS OB/GYN</b>		
CLEOCIN VAGINAL SUPPOSITORY	3	MO
<i>clindamycin phosphate vaginal</i>	2	MO
<i>metronidazole vaginal</i>	2	MO
<i>miconazole-3 vaginal suppository</i>	2	MO
NUVARING	4	MO
<i>terconazole</i>	2	MO
<i>tranexamic acid oral</i>	3	MO
<i>vandazole</i>	2	MO
<i>xulane</i>	2	MO
<b>ORAL CONTRACEPTIVES / RELATED AGENTS</b>		
<i>alyacen 1/35 (28)</i>	2	MO
<i>amethia</i>	2	MO
<i>amethia lo</i>	2	MO
<i>apri</i>	2	MO
<i>aranelle (28)</i>	2	MO
<i>ashlyna</i>	2	MO
<i>aubra</i>	2	MO
<i>aviane</i>	2	MO
<i>balziva (28)</i>	2	MO
<i>bekyree (28)</i>	2	MO
<i>blisovi 24 fe</i>	2	MO
<i>blisovi fe 1.5/30 (28)</i>	2	MO
<i>blisovi fe 1/20 (28)</i>	2	MO
<i>briellyn</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>camrese lo</i>	2	MO
<i>caziant (28)</i>	2	MO
<i>cryselle (28)</i>	2	MO
<i>cyclafem 1/35 (28)</i>	2	MO
<i>cyclafem 7/7/7 (28)</i>	2	MO
<i>delyla (28)</i>	2	
<i>desog-e.estradiol/e.estradio l</i>	2	MO
<i>desogestrel-ethinyl estradiol</i>	2	
<i>drospirenone-e.estradiol-lm.fa</i>	2	MO
<i>drospirenone-ethinyl estradiol</i>	2	MO
<i>emoquette</i>	2	MO
<i>enpresse</i>	2	MO
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	2	
<i>falmina (28)</i>	2	MO
<i>fayosim</i>	2	MO
<i>femynor</i>	2	
<i>gianvi (28)</i>	2	MO
<i>gildagia</i>	2	MO
<i>introvale</i>	2	MO
<i>isibloom</i>	2	MO
<i>juleber</i>	2	MO
<i>junel 1.5/30 (21)</i>	2	MO
<i>junel 1/20 (21)</i>	2	MO
<i>junel fe 1.5/30 (28)</i>	2	MO
<i>junel fe 1/20 (28)</i>	2	MO
<i>junel fe 24</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
kaitlib fe	2	MO	microgestin 1.5/30 (21)	2	MO
kariva (28)	2	MO	microgestin 1/20 (21)	2	MO
kelnor 1/35 (28)	2	MO	microgestin fe 1.5/30 (28)	2	MO
kimidess (28)	2	MO	microgestin fe 1/20 (28)	2	MO
l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	MO	mononessa (28)	2	MO
larin 1.5/30 (21)	2	MO	necon 0.5/35 (28)	2	MO
larin 1/20 (21)	2	MO	necon 7/7/7 (28)	2	MO
larinfe 1.5/30 (28)	2	MO	nikki (28)	2	MO
larinfe 1/20 (28)	2	MO	noreth-ethinyl estradiol-iron oral tablet,chewable 0.4mg-35mcg(21) and 75 mg (7)	2	
larissia	2	MO	noreth-ethinyl estradiol-iron oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)	2	MO
layolis fe	2	MO	norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg	2	MO
leena 28	2	MO	norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	MO
lessina	2	MO	norethindrone-e.estriadiol-iron oral tablet,chewable	2	MO
levonest (28)	2	MO	norgestimate-ethinyl estradiol	2	MO
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 90-20 mcg	2	MO	nortrel 0.5/35 (28)	2	MO
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month	2	MO	nortrel 1/35 (21)	2	MO
levonorg-eth estrad triphasic	2	MO	nortrel 1/35 (28)	2	MO
levora-28	2	MO			
loryna (28)	2	MO			
low-ogestrel (28)	2	MO			
lulera (28)	2	MO			
marlissa	2	MO			
mibelas 24 fe	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>nortrel 7/7/7 (28)</i>	2	MO
<i>ocella</i>	2	MO
<i>ogestrel (28)</i>	2	MO
<i>orsythia</i>	2	MO
<i>pimtrea (28)</i>	2	MO
<i>pirmella oral tablet 1-35 mg-mcg</i>	2	MO
<i>portia</i>	2	MO
<i>previfem</i>	2	MO
<i>quasense</i>	2	MO
<i>reclipsen (28)</i>	2	MO
<i>rivelsa</i>	2	MO
<i>setlakin</i>	2	MO
<i>sprintec (28)</i>	2	MO
<i>sronyx</i>	2	MO
<i>tarina fe 1/20 (28)</i>	2	MO
<i>tri-legest fe</i>	2	MO
<i>tri-lo-estarrylla</i>	2	MO
<i>tri-lo-sprintec</i>	2	MO
<i>trinessa (28)</i>	2	MO
<i>tri-previfem (28)</i>	2	MO
<i>tri-sprintec (28)</i>	2	MO
<i>trivora (28)</i>	2	MO
<i>velivet triphasic regimen (28)</i>	2	MO
<i>vestura (28)</i>	2	MO
<i>vienna</i>	2	MO
<i>vyfemla (28)</i>	2	MO
<i>wymzya fe</i>	2	MO
<i>zarah</i>	2	MO
<i>zenchent (28)</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>zenchent fe</i>	2	MO
<i>zovia 1/35e (28)</i>	2	MO
<i>zovia 1/50e (28)</i>	2	MO
<b>OPHTHALMOLOGY</b>		
<b>ANTIBIOTICS</b>		
<i>bacitracin ophthalmic (eye)</i>	2	MO
<i>bacitracin- polymyxin b ophthalmic (eye)</i>	2	MO
<i>BESIVANCE</i>	3	MO
<i>ciprofloxacin hcl ophthalmic (eye)</i>	2	MO
<i>erythromycin ophthalmic (eye)</i>	1	MO
<i>gatifloxacin</i>	2	MO
<i>gentak ophthalmic (eye) ointment</i>	1	MO
<i>gentamicin ophthalmic (eye) drops</i>	1	MO
<i>levofloxacin ophthalmic (eye)</i>	4	MO
<i>moxifloxacin ophthalmic (eye)</i>	3	MO
<i>NATACYN</i>	3	MO
<i>neomycin- bacitracin- polymyxin</i>	2	MO
<i>neomycin- polymyxin- gramicidin</i>	2	MO
<i>ofloxacin ophthalmic (eye)</i>	2	MO
<i>polymyxin b sulf- trimethoprim</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>			
tobramycin	1	MO	<i>azelastine ophthalmic (eye)</i>	2	MO			
VIGAMOX	4	MO	<i>cromolyn ophthalmic (eye)</i>	2	MO			
<b>ANTIVIRALS</b>								
trifluridine	2	MO	CYSTARAN	5	MO			
ZIRGAN	4	MO	<i>epinastine</i>	2	MO			
<b>BETA-BLOCKERS</b>								
<i>betaxolol ophthalmic (eye)</i>	2	MO	<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	3	MO			
BETOPTIC S	3	MO	PATADAY	3	MO			
<i>carteolol</i>	1	MO	PAZEO	3	MO			
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	MO	RESTASIS	3	MO; QL (60 per 30 days)			
<i>metipranolol</i>	2		RESTASIS MULTIDOSE	3	MO; QL (5.5 per 30 days)			
<i>timolol maleate ophthalmic (eye) drops</i>	1	MO	<b>NON-STEROIDAL ANTI-INFLAMMATORY AGENTS</b>					
<i>timolol maleate ophthalmic (eye) gel forming solution</i>	2	MO	<i>bromfenac</i>	2	MO			
TIMOPTIC OCUDOSE (PF)	3	MO	<i>diclofenac sodium ophthalmic (eye)</i>	2	MO			
<b>CHOLINESTERASE INHIBITOR MIOTICS</b>			<i>flurbiprofen sodium</i>	2	MO			
PHOSPHOLINE IODIDE	4	MO	ILEVRO	4	MO			
<b>CYCLOPLEGIC MYDRIATICS</b>			<i>ketorolac ophthalmic (eye)</i>	2	MO			
<i>atropine ophthalmic (eye) drops</i>	2	MO	PROLENSA	3	MO			
<b>DIRECT ACTING MIOTICS</b>			<b>ORAL DRUGS FOR GLAUCOMA</b>					
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	MO	<i>acetazolamide</i>	2	MO			
<b>MISCELLANEOUS OPHTHALMOLOGICS</b>			<i>acetazolamide sodium</i>	2	MO			
<i>methazolamide</i>			<i>methazolamide</i>	4	MO			
<b>OTHER GLAUCOMA DRUGS</b>								
AZOPT	4	MO						
<i>bimatoprost ophthalmic (eye)</i>	2	MO						

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
COMBIGAN	3	MO
<i>dorzolamide</i>	2	MO
<i>dorzolamide-timolol</i>	2	MO
<i>latanoprost</i>	2	MO
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	MO
SIMBRINZA	4	MO
TRAVATAN Z	3	MO
<b>STEROID-ANTIBIOTIC COMBINATIONS</b>		
<i>neomycin-bacitracin-poly-hc</i>	2	MO
<i>neomycin-polymyxin b-dexameth</i>	1	MO
<i>neomycin-polymyxin-hc ophthalmic (eye)</i>	2	MO
<i>tobramycin-dexamethasone</i>	2	MO
ZYLET	4	MO
<b>STEROIDS</b>		
<i>dexamethasone sodium phosphate ophthalmic (eye)</i>	2	MO
DUREZOL	3	MO
<i>fluorometholone</i>	2	MO
FML FORTE	4	MO
LOTEMAX	4	MO
<i>prednisolone acetate</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic (eye)</i>	2	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<b>STEROID-SULFONAMIDE COMBINATIONS</b>		
<i>sulfacetamide-prednisolone</i>	2	MO
<b>SULFONAMIDES</b>		
<i>sulfacetamide sodium ophthalmic (eye)</i>	2	MO
<b>SYMPATHOMIMETICS</b>		
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	MO
<i>apraclonidine</i>	2	MO
<i>brimonidine</i>	2	MO
<b>RESPIRATORY AND ALLERGY</b>		
<b>ANTIHISTAMINE / ANTIALLERGENIC AGENTS</b>		
<i>adrenalin injection solution 1 mg/ml (1 ml)</i>	2	
<i>cetirizine oral solution 1 mg/ml</i>	2	MO
<i>clemastine oral tablet 2.68 mg</i>	2	MO
<i>ciproheptadine</i>	2	MO
<i>desloratadine</i>	2	MO; QL (31 per 31 days)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl oral elixir</i>	2	PA

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>epinephrine injection auto-injector</i>	2	MO	ADEMPAS	5	PA; MO; LA
EPIPEN	3	MO	ADVAIR DISKUS	3	MO; QL (60 per 30 days)
EPIPEN 2-PAK	3	MO	ADVAIR HFA	3	MO; QL (12 per 30 days)
EPIPEN JR	3	MO	<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml</i>	2	B/D PA; MO
EPIPEN JR 2-PAK	3	MO	<i>albuterol sulfate oral syrup</i>	2	MO
<i>hydroxyzine hcl intramuscular</i>	2	MO	<i>albuterol sulfate oral tablet</i>	4	MO
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	PA; MO	<i>albuterol sulfate oral tablet extended release 12 hr</i>	2	MO
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO	ANORO ELLIPTA	4	MO; QL (60 per 30 days)
<i>levocetirizine oral solution</i>	4	MO	ARCAPTA NEOHALER	4	MO; QL (30 per 30 days)
<i>levocetirizine oral tablet</i>	2	MO; QL (31 per 31 days)	ARNUTY ELLIPTA	3	MO; QL (30 per 30 days)
<i>phenadoz rectal suppository 12.5 mg</i>	2	MO	ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES), 220 MCG (30 DOSES)	3	MO; QL (30 per 30 days)
<i>promethazine injection solution</i>	2	MO			
<i>promethazine oral</i>	2	PA; MO			
<i>promethazine rectal suppository 12.5 mg, 25 mg</i>	2	MO			
<i>promethazine rectal suppository 50 mg</i>	2				
<i>promethegan rectal suppository 25 mg</i>	3	MO			
<i>promethegan rectal suppository 50 mg</i>	4	MO			
<b>PULMONARY AGENTS</b>					
<i>acetylcysteine</i>	2	B/D PA; MO			
ADCIRCA	5	PA; MO; QL (62 per 31 days)			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (7 DOSES), 220 MCG (14 DOSES)	3	QL (28 per 30 days)	DULERA	3	MO; QL (13 per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (120 DOSES)	3	MO; QL (240 per 30 days)	ESBRIET ORAL CAPSULE	5	PA; MO; QL (279 per 31 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 220 MCG (60 DOSES)	3	MO; QL (60 per 30 days)	ESBRIET ORAL TABLET 267 MG	5	PA; MO; QL (279 per 31 days)
ATROVENT HFA	3	MO; QL (25.8 per 30 days)	ESBRIET ORAL TABLET 801 MG	5	PA; MO; QL (93 per 31 days)
BEVESPI AEROSPHERE	3	MO	FIRAZYR	5	PA; MO
BREO ELLIPTA	3	MO; QL (60 per 30 days)	FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION , 50 MCG/ACTUATION	3	MO; QL (60 per 30 days)
<i>budesonide inhalation</i>	3	B/D PA; MO	FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	MO; QL (240 per 30 days)
<i>budesonide nasal</i>	2	MO; QL (17.2 per 30 days)	FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	MO; QL (12 per 30 days)
CINRYZE	5	PA; MO	FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	MO; QL (24 per 30 days)
COMBIVENT RESPIMAT	3	MO; QL (8 per 30 days)	FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	MO; QL (10.6 per 30 days)
<i>cromolyn inhalation</i>	2	B/D PA; MO			
DALIRESP	4	PA; MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	2	MO; QL (50 per 30 days)	ORKAMBI ORAL TABLET 100-125 MG	5	PA; MO
<i>fluticasone nasal</i>	2	MO; QL (16 per 30 days)	ORKAMBI ORAL TABLET 200-125 MG	5	PA; MO; QL (112 per 28 days)
INCRUSE ELLIPTA	4	MO; QL (30 per 30 days)	PERFOROMIST	3	B/D PA; MO
<i>ipratropium bromide inhalation</i>	2	B/D PA; MO	PROAIR HFA	3	MO; QL (17 per 30 days)
<i>ipratropium-albuterol</i>	2	B/D PA; MO	PROAIR RESPICLICK	3	MO; QL (2 per 30 days)
KALYDECO ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)	PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION	4	MO; QL (2 per 30 days)
KALYDECO ORAL TABLET	5	PA; MO; QL (62 per 31 days)	PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	4	MO; QL (1 per 30 days)
LETAIRIS	5	PA; MO; LA	PULMOZYME	5	B/D PA; MO
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml</i>	2	B/D PA; MO	SEREVENT DISKUS	3	MO; QL (60 per 30 days)
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml, 1.25 mg/3 ml</i>	4	B/D PA; MO	<i>sildenafil oral</i>	2	PA; MO; QL (93 per 31 days)
metaproterenol	2	MO	SPIRIVA RESPIMAT	3	MO; QL (4 per 30 days)
montelukast	2	MO	SPIRIVA WITH HANDIHALER	3	MO; QL (90 per 90 days)
NUCALA	5	PA; MO; LA; QL (1 per 28 days)	STIOLTO RESPIMAT	3	MO; QL (4 per 30 days)
OFEV	5	PA; MO; QL (62 per 31 days)	STRIVERDI RESPIMAT	3	MO; QL (4 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
SYMBICORT	3	MO; QL (10.2 per 30 days)
terbutaline oral	2	MO
terbutaline subcutaneous	5	MO
theophylline oral tablet extended release 12 hr	2	MO
theophylline oral tablet extended release 24 hr	2	MO
TRACLEER	5	PA; MO; LA
triamcinolone acetonide nasal	3	MO; QL (34 per 30 days)
TUDORZA PRESSAIR	3	MO; QL (1 per 30 days)
VENTAVIS	4	B/D PA; MO
XOLAIR	5	PA; MO; LA; QL (6 per 28 days)
zafirlukast	2	MO
zileuton	3	MO
ZYFLO	4	MO
ZYFLO CR	4	MO

## UROLOGICALS

### ANTICHOLINERGICS / ANTISPASMODICS

flavoxate	2	MO
oxybutynin chloride	2	MO
tolterodine oral capsule,extended release 24hr	2	MO
tolterodine oral tablet	4	MO

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>trospium oral capsule,extended release 24hr</i>	4	MO

<i>trospium oral tablet</i>	2	MO
VESICARE	3	MO

## BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY

alfuzosin	3	MO
AVODART	3	MO
dutasteride	3	MO
<i>dutasteride-tamsulosin</i>	3	MO
<i>finasteride oral tablet 5 mg</i>	2	MO
JALYN	3	MO
<i>tamsulosin</i>	1	MO

## CHOLINERGIC STIMULANTS

<i>bethanechol chloride</i>	2	MO
-----------------------------	---	----

## MISCELLANEOUS UROLOGICALS

CYSTAGON	3	MO; LA
ELMIRON	3	MO
<i>potassium citrate</i>	2	MO

## VITAMINS, HEMATINICS / ELECTROLYTES

<b>ELECTROLYTES</b>		
<i>calcium acetate oral capsule</i>	2	MO
<i>calcium acetate oral tablet 667 mg</i>	2	MO
<i>dextrose-kcl-nacl</i>	2	MO
<i>eliphos</i>	2	MO
<i>klor-con 10</i>	1	MO
<i>klor-con 8</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>klor-con m10</i>	1	MO	<i>potassium chloride intravenous piggyback 10 meq/100 ml</i>	2	MO
<i>klor-con m15</i>	1	MO	<i>potassium chloride intravenous piggyback 20 meq/100 ml, 40 meq/100 ml</i>	2	
<i>klor-con m20</i>	1	MO	<i>potassium chloride intravenous solution</i>	2	MO
<i>klor-con sprinkle</i>	3	MO	<i>potassium chloride oral capsule, extended release</i>	1	MO
<i>lactated ringers intravenous</i>	2	MO	<i>potassium chloride oral liquid</i>	2	MO
<i>magnesium sulfate injection solution</i>	2	MO	<i>potassium chloride oral tablet extended release</i>	1	MO
<i>magnesium sulfate injection syringe</i>	2		<i>potassium chloride oral tablet,er particles/crystals</i>	1	MO
<i>NORMOSOL-R IN 5 % DEXTROSE</i>	3		<i>potassium chloride d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2		<i>potassium chloride d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	MO	<i>potassium chloride d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2		<i>potassium chloride d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2				
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	2	MO			

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>	<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements /Limits</b>
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	2		AMINOSYN-PF 7 % (SULFITE-FREE)	3	B/D PA
<i>ringer's intravenous</i>	2		AMINOSYN-RF 5.2 %	3	B/D PA
<i>sodium chloride 0.45 % intravenous parenteral solution</i>	2	MO	FREAMINE HBC 6.9 %	3	B/D PA
<i>sodium chloride 3 %</i>	2	MO	HEPATAMINE 8%	3	B/D PA
<i>sodium chloride 5 %</i>	2		<i>intralipid intravenous emulsion 20 %</i>	4	B/D PA
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	2	MO	INTRALIPID INTRAVENOUS EMULSION 30 %	3	B/D PA
<b>MISCELLANEOUS NUTRITION PRODUCTS</b>			IONOSOL-B IN D5W	3	
<i>amino acids 15 %</i>	3	B/D PA	IONOSOL-MB IN D5W	3	
<i>AMINOSYN 7 % WITH ELECTROLYTES</i>	3	B/D PA	ISOLYTE-P IN 5 % DEXTROSE	3	
<i>AMINOSYN 8.5 %-ELECTROLYTES</i>	3	B/D PA	ISOLYTE-S	3	
<i>AMINOSYN II 10 %</i>	3	B/D PA	NEPHRAMINE 5.4 %	3	B/D PA
<i>AMINOSYN II 15 %</i>	3	B/D PA	NORMOSOL-R PH 7.4	3	
<i>AMINOSYN II 8.5 %</i>	3	B/D PA	<i>premasol 10 %</i>	2	B/D PA; MO
<i>AMINOSYN II 8.5 %-ELECTROLYTES</i>	3	B/D PA	PREMASOL 6 %	3	B/D PA
<i>AMINOSYN-HBC 7%</i>	3	B/D PA	<i>travasol 10 %</i>	4	B/D PA; MO
<i>AMINOSYN-PF 10 %</i>	3	B/D PA	TROPHAMINE 10 %	3	B/D PA; MO
<b>VITAMINS / HEMATINICS</b>			TROPHAMINE 6%	3	B/D PA
<i>fluoride (sodium) oral tablet</i>			<i>fluoride (sodium) oral tablet</i>	2	MO
<i>prenatal vitamin oral tablet</i>			<i>prenatal vitamin oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

# Index

<b>A</b>	
abacavir .....	1
abacavir-lamivudine .....	1
abacavir-lamivudine-zidovudine .....	1
ABELCET .....	1
ABILIFY MAINTENA.....	24
ABRAXANE.....	9
acamprosate .....	42
acarbose.....	44
acebutolol .....	32
acetaminophen-codeine .....	20
acetazolamide .....	60
acetazolamide sodium .....	60
acetic acid.....	43
acetylcysteine .....	62
acitretin.....	38
ACTHIB (PF).....	53
ACTIMMUNE .....	52
ACTONEL .....	55
ACTOS.....	44
acyclovir .....	1, 40
acyclovir sodium .....	1
ADACEL(TDAP ADOLESN/ADULT)(PF)	53
ADAGEN .....	42
adapalene .....	38
adapalene-benzoyl peroxide.	38
ADCIRCA .....	62
adefovir.....	1
ADEMPAS .....	62
adrenalin .....	61
adriamycin .....	9
adrucil.....	9
ADVAIR DISKUS.....	62
ADVAIR HFA .....	62
afeditab cr .....	32
AFINITOR .....	9
AFINITOR DISPERZ .....	9
AGGRENOX .....	35
ALBENZA .....	5
albuterol sulfate.....	62
alclometasone .....	40
alcohol pads.....	44
ALDURAZYME .....	47
ALECENSA .....	9
alendronate .....	42, 55
alfuzosin .....	65
ALIMTA .....	10
ALINIA .....	5
allopurinol .....	54
alosetron .....	49
ALOXI.....	49
ALPHAGAN P .....	61
ALUNBRIG .....	10
alyacen 1/35 (28) .....	57
amabelz.....	56
amantadine hcl.....	1, 2
AMBISOME .....	1
amcinonide .....	40
amethia .....	57
amethia lo .....	57
amikacin .....	5
amiloride.....	32
amiloride-hydrochlorothiazide .....	32
amino acids 15 % .....	67
AMINOSYN 7 % WITH ELECTROLYTES.....	67
AMINOSYN 8.5 %- ELECTROLYTES.....	67
AMINOSYN II 10 % .....	67
AMINOSYN II 15 % .....	67
AMINOSYN II 8.5 % .....	67
AMINOSYN II 8.5 %- ELECTROLYTES.....	67
AMINOSYN-HBC 7%.....	67
AMINOSYN-PF 10 % .....	67
AMINOSYN-PF 7 % (SULFITE-FREE) .....	67
AMINOSYN-RF 5.2 %.....	67
amiodarone .....	31
AMITIZA .....	49
amitriptyline .....	24
amlodipine .....	32
amlodipine-atorvastatin .....	36
amlodipine-benazepril .....	32
amlodipine-olmesartan .....	32
amlodipine-valsartan .....	32
amlodipine-valsartan-hcthiazid .....	32
ammonium lactate .....	38
amoxapine.....	24
amoxicil-clarithromy-lansopraz .....	51
amoxicillin .....	7
amoxicillin-pot clavulanate .....	7
amphotericin b .....	1
ampicillin .....	7
ampicillin sodium .....	7
ampicillin-sulbactam .....	7
AMPYRA .....	19
ANADROL-50 .....	47
anagrelide .....	42
anastrozole .....	10
ANDROGEL .....	47
ANDROID.....	47
ANORO ELLIPTA .....	62
apexicon e .....	40
APOKYN .....	18
apraclonidine .....	61
aprepitant .....	49
apri .....	57
APRISO .....	49
APTIOM .....	16
APТИВУС .....	2
ARALAST NP.....	42
aranelle (28).....	57
ARCALYST .....	52
ARCAPTA NEOHALER .....	62
ariPIPRAZOLE .....	24
ARNUITY ELLIPTA .....	62
ARRANON .....	10
ASACOL HD .....	49
ashlyna .....	57
ASMANEX TWISTHALER .....	62, 63
aspirin-dipyridamole .....	35
atenolol .....	32
atenolol-chlorthalidone .....	32
atomoxetine .....	24
atorvastatin .....	36
atovaquone .....	5
atovaquone-proguanil .....	5
ATRIPLA .....	2
atropine .....	48, 60
ATROVENT HFA .....	63
aubra .....	57

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

AUGMENTIN	7	BICNU	10	candesartan	32
AURYXIA	42	BIDIL	32	candesartan-hydrochlorothiazid	32
AVASTIN	10	BILTRICIDE	6	CAPASTAT	6
aviane	57	bimatoprost	60	CAPRELSA	10
avita	38	bisoprolol fumarate	32	captopril	32
AVODART	65	bisoprolol-hydrochlorothiazide	32	captopril-hydrochlorothiazide	33
AXIRON	47	bleomycin	10	CARAC	38
azacitidine	10	blisovi 24 fe	57	carafate	51
AZACTAM IN DEXTROSE (ISO-OSM)	5	blisovi fe 1.5/30 (28)	57	CARBAGLU	42
azathioprine	10	blisovi fe 1/20 (28)	57	carbamazepine	16
azathioprine sodium	10	BOOSTRIX TDAP	53	carbidopa	18
azelastine	43, 60	BOSULIF	10	carbidopa-levodopa	18
AZILECT	18	BOTOX	53	carbidopa-levodopa-	
azithromycin	5	BREO ELLIPTA	63	entacapone	18
AZOPT	60	briellyn	57	carboplatin	10
AZOR	32	BRILINTA	35	carteolol	60
aztreonam	5	brimonidine	61	cartia xt	33
<b>B</b>		BRIVIACT	16	carvedilol	33
bacitracin	59	bromfenac	60	CAYSTON	6
bacitracin-polymyxin b	59	bromocriptine	18	caziant (28)	57
baclofen	20	budesonide	49, 63	cefaclor	4
balsalazide	49	bumetanide	32	cefadroxil	4
balziva (28)	57	BUPRENEX	20	cefazolin	4
BANZEL	16	buprenorphine hcl	20	cefdinir	4
BARACLUDE	2	bupropion hcl	24	cefepime	4
BAVENCIO	10	bupropion hcl (smoking deter)	43	cefixime	4
BCG VACCINE, LIVE (PF)	53	buspirone	24	cefotaxime	4
bekyree (28)	57	busulfan	10	cefoxitin	4
BELEODAQ	10	BUSULFEX	10	cefpodoxime	4
benazepril	32	butorphanol tartrate	23	ceftazidime	4
benazepril-hydrochlorothiazide	32	BUTRANS	20	ceftriaxone	5
BENICAR	32	BYDUREON	44	cefuroxime axetil	5
BENICAR HCT	32	BYETTA	44	cefuroxime sodium	5
BENLYSTA	55	BYSTOLIC	32	celecoxib	23
benztropine	18	<b>C</b>		CELLCEPT INTRAVENOUS	
BESIVANCE	59	cabergoline	47		10
betamethasone dipropionate	40	CABOMETYX	10	CELONTIN	16
betamethasone valerate	40	calcipotriene	38	cephalexin	5
betamethasone, augmented	40	calcipotriene-betamethasone	38	CERDELGA	47
betaxolol	32, 60	calcitonin (salmon)	47	CEREZYME	47
bethanechol chloride	65	calcitriol	38, 47	cetirizine	61
BETOPTIC S	60	calcium acetate	65	cevimeline	42
BEVESPI AEROSPHERE	63	camila	56	CHANTIX	43
bexarotene	10	camrese lo	57	CHANTIX CONTINUING MONTH BOX	43
BEXSERO	53	CANASA	49		
bicalutamide	10	CANCIDAS	1		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

CHANTIX STARTING MONTH BOX	43	clonazepam	16	CYSTAGON	65
CHEMET	42	clonidine	33	CYSTARAN	60
CHENODAL	49	clonidine hcl	33	cytarabine	10
chloramphenicol sod succinate	6	clopидogrel	35	cytarabine (pf)	10
chlorhexidine gluconate	43	clorazepate dipotassium	24	<b>D</b>	
chloroquine phosphate	6	clotrimazole	1, 39	d10 %-0.45 % sodium chloride	42
chlorothiazide	33	clotrimazole-betamethasone	40	d2.5 %-0.45 % sodium	
chlorothiazide sodium	33	clozapine	24	chloride	42
chlorpromazine	24	COARTEM	6	d5 % and 0.9 % sodium	
chlorthalidone	33	codeine sulfate	20	chloride	42
CHOLBAM	49	COLCHICINE	54	d5 %-0.45 % sodium chloride	
cholestyramine light	36	COLCRYS	55	dacarbazine	10
chorionic gonadotropin, human	47	colestipol	36	DALIRESP	63
ciclopirox	39	colistin (colistimethate na)	6	danazol	47
cidofovir	2	COMBIGAN	61	dantrolene	20
cilostazol	35	COMBIPATCH	56	DAPSONE	6
CINRYZE	63	COMBIVENT RESPIMAT	63	DAPTACEL (DTAP) PEDIATRIC (PF)	53
CIPRO HC	43	COMETRIQ	10	daptomycin	6
CIPRODEX	43	COMPLERA	2	DARAPRIM	6
ciprofloxacin	8	compro	49	DARZALEX	10
ciprofloxacin hcl	8, 59	constulose	49	daunorubicin	10
ciprofloxacin in 5 % dextrose	8	COPAXONE	19	deblitane	56
ciprofloxacin lactate	8	CORDRAN TAPE LARGE		decitabine	10
cisplatin	10	ROLL	40	delyla (28)	57
citalopram	24	COREG CR	33	DELZICOL	49
cladribine	10	CORLANOR	37	demeclocycline	8
claravis	38	CORTIFOAM	49	DEMSER	33
clarithromycin	5	cortisone	43	DENAVIR	40
clemastine	61	COTELLIC	10	DEPEN TITRATABS	55
CLEOCIN	57	CREON	49	DEPO-MEDROL	43
CLIMARA PRO	56	CRESEMBIA	1	DESCOVERY	2
clindamycin hcl	6	CRESTOR	36	desipramine	25
clindamycin in 5 % dextrose	6	CRINONE	56	desloratadine	61
clindamycin pediatric	6	CRIXIVAN	2	desmopressin	47
clindamycin phosphate	6, 38, 57	cromolyn	49, 60, 63	desog-e.estriadiol/e.estriadiol	57
clindamycin-benzoyl peroxide	38	cryselle (28)	57	desogestrel-ethinyl estradiol	57
clindamycin-tretinoin	38	CUBICIN	6	desonide	40
clobetasol	40	cyclafem 1/35 (28)	57	desoximetasone	40
clobetasol-emollient	40	cyclafem 7/7/7 (28)	57	desvenlafaxine succinate	25
clodan	40	cyclobenzaprine	20	dexamethasone	43
clofarabine	10	CYCLOPHOSPHAMIDE	10	dexamethasone intensol	43
CLOLAR	10	CYCLOSET	44	dexamethasone sodium	
clomipramine	24	cyclosporine	10	phosphate	44, 61
		cyclosporine modified	10	DEXILANT	51
		CYMBALTA	24, 25	dextroamphetamine	25
		cypreheptadine	61		
		CYRAMZA	10		
		CYSTADANE	49		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

dextroamphetamine-	
amphetamine .....	25
dextrose 10 % and 0.2 % nacl .....	42
dextrose 10 % in water (d10w) .....	42
dextrose 5 % in water (d5w) .....	42
dextrose 5 %-lactated ringers .....	42
dextrose 5%-0.2 % sod chloride .....	42
dextrose 5%-0.3 % sod.chloride .....	42
dextrose with sodium chloride .....	42
dextrose-kcl-nacl .....	65
DIASTAT .....	16
DIASTAT ACUDIAL .....	16
diazepam .....	16, 25
diazepam intensol .....	25
diclofenac potassium .....	23
diclofenac sodium .....	23, 38, 60
dicloxacillin .....	7
dicyclomine .....	49
didanosine .....	2
diflorasone .....	40
diflunisal .....	23
digitek .....	35
digoxin .....	35
dihydroergotamine .....	19
DILANTIN 30 MG .....	16
diltiazem hcl .....	33
dilt-xr .....	33
DIOVAN .....	33
DIOVAN HCT .....	33
diphenhydramine hcl .....	61
dipyridamole .....	35
disulfiram .....	42
divalproex .....	17
docetaxel .....	11
dofetilide .....	31
donepezil .....	19
dorzolamide .....	61
dorzolamide-timolol .....	61
doxazosin .....	33
doxepin .....	25, 38
doxercalciferol .....	48
doxorubicin .....	11
doxorubicin, peg-liposomal..	11
doxy-100 .....	8
doxycycline hyclate .....	8
doxycycline monohydrate .....	8
dronabinol .....	49
drospirenone-e.estriadiol-lm.fa .....	57
drospirenone-ethinyl estradiol .....	57
DROXIA .....	11
DULERA .....	63
duloxetine .....	25
DUPIXENT .....	38
duramorph (pf) .....	20
DUREZOL .....	61
dutasteride .....	65
dutasteride-tamsulosin .....	65
<b>E</b>	
e.e.s. 400 .....	5
econazole .....	40
EDECIN .....	33
EDURANT .....	2
EFFIENT .....	35
ELAPRASE .....	48
eletriptan hbr .....	19
eliphos .....	65
ELIQUIS .....	35
ELLENCE .....	11
ELMIRON .....	65
EMCYT .....	11
EMEND .....	49
emoquette .....	57
EMPLICITI .....	11
EMSAM .....	25
EMTRIVA .....	2
EMVERM .....	6
enalapril maleate .....	33
enalapril-hydrochlorothiazide .....	33
ENBREL .....	55
ENBREL SURECLICK .....	55
endocet .....	20
ENGERIX-B (PF) .....	53
ENGERIX-B PEDIATRIC (PF) .....	53
enoxaparin .....	35
enpresse .....	57
entacapone .....	18
entecavir .....	2
ENTRESTO .....	37
enulose .....	49
EPCLUSIA .....	2
epinastine .....	60
epinephrine .....	62
EPIPEN .....	62
EPIPEN 2-PAK .....	62
EPIPEN JR .....	62
EPIPEN JR 2-PAK .....	62
epirubicin .....	11
epitol .....	17
EPIVIR HBV .....	2
eplerenone .....	33
eprosartan .....	33
EPZICOM .....	2
ERBITUX .....	11
ergoloid .....	25
ergotamine-caffeine .....	19
ERIVEDGE .....	11
errin .....	56
ERWINAZE .....	11
ery pads .....	38
erygel .....	38
ERYTHROCIN .....	5
erythrocin (as stearate) .....	5
erythromycin .....	5, 59
erythromycin ethylsuccinate ...	5
erythromycin with ethanol...38,	39
erythromycin-benzoyl peroxide .....	39
ESBRIET .....	63
escitalopram oxalate .....	25
esomeprazole sodium .....	51
ESTRACE .....	56
estradiol .....	56
estradiol valerate .....	56
estradiol-norethindrone acet ..	56
estropipate .....	56
ethacrynic acid .....	33
ethambutol .....	6
ethosuximide .....	17
ethynodiol diac-eth estradiol ..	57
etidronate disodium .....	42
etodolac .....	23
ETOPOPHOS .....	11
etoposide .....	11
EURAX .....	41

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

EVISTA.....	55	fluocinolone acetonide oil .....	43	gengraf.....	11
EVOTAZ.....	2	fluocinonide.....	41	gentak .....	59
exemestane.....	11	fluocinonide-e.....	41	gentamicin .....	6, 39, 59
EXJADE.....	42	fluoride (sodium).....	67	gentamicin in nacl (iso-osm) ..	6
ezetimibe .....	36	fluoromethalone .....	61	gentamicin sulfate (pf).....	6
ezetimibe-simvastatin.....	36	fluorouracil .....	11, 38	GENVOYA .....	2
<b>F</b>		fluoxetine.....	26	GEODON .....	26
FABRAZYME .....	48	fluphenazine decanoate .....	26	gianvi (28) .....	57
falmina (28).....	57	fluphenazine hcl .....	26	gildagia .....	57
famciclovir .....	2	flurbiprofen.....	23	GILOTrif .....	11
famotidine.....	51	flurbiprofen sodium .....	60	glatopa .....	19
famotidine (pf).....	51	flutamide.....	11	GLEEVEC .....	11, 12
famotidine (pf)-nacl (iso-os)51		fluticasone .....	41, 64	GLEOSTINE .....	12
FANAPT .....	25, 26	fluvastatin .....	36	glimepiride.....	45
FARESTON .....	11	fluvoxamine.....	26	glipizide .....	45
FARYDAK.....	11	FML FORTE .....	61	glipizide-metformin .....	45
FASLODEX .....	11	FOLOTYN .....	11	GLUCAGEN HYPOKIT.....	45
fayosim.....	57	fondaparinux.....	35	GLUCAGON EMERGENCY	
FAZACLO .....	26	FORFIVO XL.....	26	KIT (HUMAN).....	45
felbamate .....	17	FORTEO .....	55	glyburide.....	45
felodipine.....	33	fosinopril .....	33	glyburide micronized .....	45
femynor .....	57	fosinopril-hydrochlorothiazide		glyburide-metformin .....	45
fenofibrate .....	36	.....	33	glycopyrrolate .....	49
fenofibrate micronized .....	36	fosphenytoin .....	17	granisetron (pf) .....	49
fenofibrate nanocrystallized	36	FRAGMIN.....	35, 36	granisetron hcl .....	49
fenofibric acid .....	36	FREAMINE HBC 6.9 % .....	67	GRASTEK .....	53
fenofibric acid (choline) .....	36	furosemide .....	33	griseofulvin microsize .....	1
fenoprofen .....	23	FUSILEV.....	9	griseofulvin ultramicrosize .....	1
fentanyl.....	21	FUZEON .....	2	guanfacine.....	26, 33
fentanyl citrate.....	21	fyavolv .....	56	<b>H</b>	
FERRIPROX .....	42	FYCOMPA.....	17	HALAVEN .....	12
FETZIMA.....	26	<b>G</b>		halobetasol propionate .....	41
finasteride .....	65	gabapentin .....	17	haloperidol .....	26
FIRAZYR.....	63	GABITRIL .....	17	haloperidol decanoate .....	26
FIRMAGON KIT W		galantamine .....	19	haloperidol lactate .....	26
DILUENT SYRINGE .....	11	GAMASTAN S/D .....	53	HARVONI.....	2
flavoxate .....	65	GAMUNEX-C.....	53	HAVRIX (PF) .....	53
flecainide .....	31	ganciclovir sodium .....	2	heparin (porcine) .....	36
FLOVENT DISKUS .....	63	GARDASIL 9 (PF).....	53	heparin (porcine) in 5 % dex	36
FLOVENT HFA.....	63	gatifloxacin.....	59	HEPATAMINE 8%.....	67
floxin .....	43	GATTEX ONE-VIAL .....	49	HERCEPTIN .....	12
fluconazole .....	1	GAUZE PAD .....	45	HETLIOZ .....	26
fluconazole in nacl (iso-osm) .1		gavilyte-c .....	49	HEXALEN .....	12
flucytosine .....	1	gavilyte-g .....	49	HIBERIX (PF).....	53
fludarabine.....	11	gavilyte-n .....	49	HUMALOG .....	45
fludrocortisone .....	44	gemcitabine .....	11	HUMALOG KWIKPEN .....	45
flunisolide.....	64	gemfibrozil .....	36	HUMALOG MIX 50-50.....	45
fluocinolone.....	40	generlac .....	49		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

HUMALOG MIX 50-50	
KWIKPEN .....	45
HUMALOG MIX 75-25 .....	45
HUMALOG MIX 75-25	
KWIKPEN .....	45
HUMIRA.....	55
HUMIRA PEDIATRIC	
CROHN'S START .....	55
HUMIRA PEN .....	55
HUMIRA PEN CROHN'S-	
UC-HS START .....	55
HUMIRA PEN PSORIASIS-	
UVEITIS .....	55
HUMULIN 70/30 .....	45
HUMULIN 70/30 KWIKPEN	
.....	45
HUMULIN N .....	45
HUMULIN N KWIKPEN .....	45
HUMULIN R U-100 .....	45
HUMULIN R U-500	
(CONCENTRATED) .....	45
hydralazine .....	33
hydrochlorothiazide.....	33
hydrocodone-acetaminophen	21
hydrocodone-ibuprofen .....	21
hydrocortisone .....	41, 44, 50
hydrocortisone butyrate .....	41
hydrocortisone butyr-emollient	
.....	41
hydrocortisone valerate .....	41
hydrocortisone-acetic acid....	43
hydromorphone .....	21
hydromorphone (pf) .....	21
hydroxychloroquine .....	6
hydroxyprogesterone caproate	
.....	56
hydroxyurea.....	12
hydroxyzine hcl .....	62
<b>I</b>	
ibandronate .....	55
IBRANCE .....	12
ibuprofen .....	23
ICLUSIG .....	12
idarubicin.....	12
IDHIFA .....	12
ifosfamide.....	12
ILARIS (PF).....	52
ILEVRO .....	60
imatinib.....	12
IMBRUVICA .....	12
IMFINZI.....	12
imipenem-cilastatin .....	6
imipramine hcl.....	26
imipramine pamoate .....	26
imiquimod .....	38
IMOGLAM RABIES-HT (PF)	
.....	53
IMOVAAX RABIES VACCINE	
(PF) .....	53
INCRELEX .....	42
INCRUSE ELLIPTA.....	64
indapamide .....	33
INFANRIX (DTAP) (PF)....	53
INLYTA .....	12
INSULIN PEN NEEDLE.....	45
INSULIN SYRINGE (DISP)	
U-100.....	45
INTELENCE .....	2
intralipid .....	67
INTRALIPID.....	67
INTRON A .....	52
introvale.....	57
INVEGA.....	26, 27
INVEGA SUSTENNA .....	27
INVEGA TRINZA .....	27
INVIRASE .....	2
INVOKANA .....	45
IONOSOL-B IN D5W .....	67
IONOSOL-MB IN D5W .....	67
IPOL .....	54
ipratropium bromide.....	43, 64
ipratropium-albuterol.....	64
irbesartan .....	33
irbesartan-hydrochlorothiazide	
.....	33
IRESSA .....	12
irinotecan .....	12
ISENTRESS .....	2
ISENTRESS HD .....	2
isibloom.....	57
ISOLYTE-P IN 5 %	
DEXTROSE .....	67
ISOLYTE-S.....	67
isoniazid.....	6
isosorbide dinitrate .....	37
isosorbide mononitrate .....	37
isradipine .....	33
ISTODAX .....	12
itraconazole.....	1
ivermectin .....	6
IXIARO (PF) .....	54
<b>J</b>	
JAKAFI .....	12
JALYN .....	65
jantoven .....	36
JANUMET .....	45
JANUMET XR .....	45, 46
JANUVIA.....	46
JARDIANCE .....	46
JENTADUETO .....	46
JEVTANA .....	12
jinteli.....	56
jolivette .....	56
juleber .....	57
junel 1.5/30 (21) .....	57
junel 1/20 (21) .....	57
junel fe 1.5/30 (28) .....	57
junel fe 1/20 (28) .....	57
junel fe 24 .....	57
<b>K</b>	
KADCYLA.....	12
kaitlib fe .....	58
KALETRA .....	2
KALYDECO .....	64
KANUMA .....	48
kariva (28) .....	58
kelnor 1/35 (28) .....	58
KEPIVANCE .....	9
ketoconazole .....	1, 40
ketoprofen .....	23
ketorolac .....	60
KEYTRUDA .....	12
kimidess (28) .....	58
KINRIX (PF) .....	54
kionex .....	42
KISQALI .....	12
KISQALI FEMARA CO-	
PACK .....	12
klor-con 10.....	65
klor-con 8.....	65
klor-con m10 .....	66
klor-con m15 .....	66
klor-con m20 .....	66
klor-con sprinkle.....	66

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

KORLYM	48
KUVAN	48
KYPROLIS	12
<b>L</b>	
1 norgest/e.estriol-e.estrad	58
labetalol	34
lactated ringers	66
lactulose	50
LAMICTAL STARTER (BLUE) KIT	17
LAMICTAL STARTER (GREEN) KIT	17
LAMICTAL STARTER (ORANGE) KIT	17
LAMICTAL XR STARTER (BLUE)	17
LAMICTAL XR STARTER (GREEN)	17
LAMICTAL XR STARTER (ORANGE)	17
lamivudine	2, 3
lamivudine-zidovudine	3
lamotrigine	17
LANOXIN	35
lansoprazole	51
LANTUS	46
LANTUS SOLOSTAR	46
larin 1.5/30 (21)	58
larin 1/20 (21)	58
larin fe 1.5/30 (28)	58
larin fe 1/20 (28)	58
larissia	58
LARTRUVO	12
latanoprost	61
LATUDA	27
layolis fe	58
leena 28	58
leflunomide	56
LENVIMA	12
lessina	58
LETAIRIS	64
letrozole	12
leucovorin calcium	9
LEUKERAN	12
leuprolide	12
levalbuterol hcl	64
levetiracetam	17
levetiracetam in nacl (iso-os)	17
levobunolol	60
levocarnitine	42
levocarnitine (with sugar)	42
levocetirizine	62
levofloxacin	8, 59
levofloxacin in d5w	8
levoleucovorin	9
levonest (28)	58
levonorgestrel-ethinyl estrad	58
levonorg-eth estrad triphasic	58
levora-28	58
levorphanol tartrate	21
levothyroxine	48
levoxyl	48
LEXIVA	3
LIALDA	50
lidocaine	39
lidocaine (pf)	39
lidocaine hcl	39
lidocaine viscous	39
lidocaine-prilocaine	39
LIDODERM	39
lindane	41
linezolid	6
LINZESS	50
LIORESAL	20
liothyronine	48
LIPOFEN	37
lisinopril	34
lisinopril-hydrochlorothiazide	34
lithium carbonate	27
lithium citrate	27
LONSURF	12
loperamide	49
lopinavir-ritonavir	3
lorazepam	27
lorazepam intensol	27
loryna (28)	58
losartan	34
losartan-hydrochlorothiazide	34
LOTEMAX	61
lovastatin	37
low-ogestrel (28)	58
loxapine succinate	27
LUMIGAN	61
LUMIZYME	48
LUPRON DEPOT	13
<b>LUPRON DEPOT (3 MONTH)</b>	13
<b>LUPRON DEPOT (4 MONTH)</b>	13
<b>LUPRON DEPOT (6 MONTH)</b>	13
LUPRON DEPOT-PED	13
lутера (28)	58
LYNPARZA	13
LYRICA	17
LYSODREN	13
lyza	56
<b>M</b>	
magnesium sulfate	66
MAKENA	56
malathion	41
maprotiline	27
marlissa	58
MARPLAN	27
MATULANE	13
matzim la	34
meclizine	50
meclofenamate	23
medroxyprogesterone	56
mefenamic acid	23
mefloquine	6
megestrol	13
MEKINIST	13
meloxicam	23
melphalan hcl	13
memantine	19
MEMANTINE	20
MENACTRA (PF)	54
MENVEO A-C-Y-W-135-DIP (PF)	54
mercaptopurine	13
meropenem	6
mesalamine with cleansing wipe	50
mesna	9
MESNEX	9
MESTINON	20
metaproterenol	64
metformin	46
methadone	21
methazolamide	60
methenamine hippurate	9
methimazole	44

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

methotrexate sodium .....	13	morphine concentrate .....	21	neomycin-polymyxin-hc.....	43, 61
methotrexate sodium (pf) .....	13	MOVIPREP .....	50	NEPHRAMINE 5.4 %.....	67
methoxsalen.....	38	moxifloxacin.....	8, 59	NERLYNX .....	13
methyclothiazide .....	34	MOZOBIL .....	52	neuac .....	39
methyldopa .....	34	mupirocin .....	39	NEULASTA .....	52
methylphenidate hcl .....	27	mupirocin calcium .....	39	NEUPOGEN .....	52
methylprednisolone .....	44	MUSTARGEN .....	13	NEUPRO .....	18
methylprednisolone acetate ..	44	MYALEPT .....	48	nevirapine .....	3
methylprednisolone sodium succ.....	44	MYCAMINE .....	1	NEXAVAR .....	13
methyltestosterone.....	48	mycophenolate mofetil .....	13	NEXIUM .....	51
metipranolol .....	60	mycophenolate mofetil hcl ..	13	NEXIUM IV .....	51
metoclopramide hcl .....	50	mycophenolate sodium .....	13	NEXIUM PACKET .....	51
metolazone .....	34	<b>N</b>		niacin .....	37
metoprolol succinate .....	34	nabumetone .....	23	nicardipine .....	34
metoprolol ta-hydrochlorothiaz .....	34	nadolol .....	34	NICOTROL .....	43
metoprolol tartrate .....	34	nadolol-bendroflumethiazide	34	NICOTROL NS .....	43
metronidazole .....	6, 39, 57	nafcillin.....	7	nifedipine .....	34
metronidazole in nacl (iso-os)	6	naftifine .....	40	nikki (28) .....	58
mexiletine .....	31	NAFTIN .....	40	NILANDRON .....	13
MIACALCIN .....	48	NAGLAZYME .....	48	nilutamide .....	13
mibelas 24 fe .....	58	naloxone .....	23	nimodipine .....	34
miconazole-3 .....	57	naltrexone .....	23	NINLARO .....	13
microgestin 1.5/30 (21) .....	58	NAMENDA .....	20	NIPENT .....	13
microgestin 1/20 (21) .....	58	NAMENDA TITRATION PAK .....	20	nisoldipine .....	34
microgestin fe 1.5/30 (28)....	58	NAMENDA XR .....	20	nitro-bid .....	37
microgestin fe 1/20 (28) .....	58	NAMZARIC .....	20	nitrofurantoin .....	9
midodrine .....	42	naproxen .....	23	nitrofurantoin macrocrystal	9
migergot .....	19	naproxen sodium .....	23	nitrofurantoin monohyd/m- cryst .....	9
minocycline .....	8	naratriptan.....	19	nitroglycerin .....	37
minoxidil .....	34	NARCAN .....	23	nizatidine .....	51
mirtazapine .....	27	NATACYN .....	59	nolix .....	41
misoprostol .....	51	nateglinide .....	46	nora-be .....	56
mitomycin.....	13	NATPARA .....	48	NORDITROPIN FLEXPRO	52
mitoxantrone.....	13	NEBUPENT .....	6	noreth-ethinyl estradiol-iron	58
M-M-R II (PF).....	54	necon 0.5/35 (28).....	58	norethindrone (contraceptive) .....	56
modafinil .....	27	necon 7/7/7 (28).....	58	norethindrone acetate.....	56
moderiba .....	3	NEEDLES, INSULIN DISP.,SAFETY .....	46	norethindrone ac-eth estradiol .....	56, 58
moderiba dose pack .....	3	nefazodone.....	27	norethindrone-e.estradiol-iron .....	58
moexipril .....	34	neomycin .....	6	norgestimate-ethinyl estradiol .....	58
moexipril-hydrochlorothiazide .....	34	neomycin-bacitracin-poly-hc	61	norlyroc.....	56
mometasone.....	41	neomycin-bacitracin- polymyxin.....	59	NORMOSOL-R IN 5 % DEXTROSE .....	66
mononessa (28) .....	58	neomycin-polymyxin b- dexameth .....	61	NORMOSOL-R PH 7.4.....	67
montelukast .....	64	neomycin-polymyxin- gramicidin.....	59		
morgidox .....	9				
morpheine.....	21, 22				

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

NORTHERA .....	42	ondansetron hcl.....	50	PENTAM.....	6
nortrel 0.5/35 (28) .....	58	ondansetron hcl (pf).....	50	PENTASA .....	50
nortrel 1/35 (21) .....	58	ONFI.....	18	pentoxifylline.....	36
nortrel 1/35 (28) .....	58	OPDIVO .....	14	PERFOROMIST.....	64
nortrel 7/7/7 (28) .....	59	ORENCIA .....	56	perindopril erbumine .....	34
nortriptyline .....	27	ORENCIA (WITH MALTPOSE).....	56	periogard.....	43
NORVIR.....	3	ORENCIA CLICKJECT .....	56	PERJETA .....	14
NOVOFINE 30 .....	46	ORFADIN .....	42	permethrin.....	41
NOVOFINE 32 .....	46	ORKAMBI .....	64	perphenazine.....	28
NOVOFINE AUTOCOVER .....	46	orsythia .....	59	phenadoz.....	62
NOVOLOG .....	46	oseltamivir .....	3	phenelzine.....	28
NOVOLOG FLEXPEN.....	46	oxaliplatin.....	14	phenobarbital .....	18
NOVOLOG MIX 70-30 .....	46	oxandrolone .....	48	phenoxybenzamine .....	34
NOVOLOG MIX 70-30 FLEXPEN .....	46	oxaprozin .....	23	phenytoin .....	18
NOVOLOG PENFILL .....	46	oxazepam.....	28	phenytoin sodium .....	18
NOXAFILE.....	1	oxcarbazepine .....	18	phenytoin sodium extended..	18
NUCALA .....	64	oxybutynin chloride .....	65	PHOSPHOLINE IODIDE .....	60
NUEDEXTA .....	20	oxycodone .....	22	pilocarpine hcl .....	42, 60
NULOJIX .....	13	oxycodone-acetaminophen .....	22	pimozide .....	28
NUPLAZID .....	27	oxycodone-aspirin .....	22	pimtreia (28) .....	59
NUVARING.....	57	oxymorphone.....	22	pindolol.....	34
nyamyc .....	40	<b>P</b>		pioglitazone .....	46
nyata .....	40	pacerone.....	31	pioglitazone-glimepiride.....	46
nystatin .....	1, 40	paclitaxel .....	14	pioglitazone-metformin .....	46
nystatin-triamcinolone.....	40	paliperidone .....	28	piperacillin-tazobactam .....	7
nystop .....	40	PANRETIN .....	38	pirmella.....	59
<b>O</b>		pantoprazole .....	52	piroxicam.....	23
OCALIVA .....	50	paricalcitol .....	48	PLAVIX .....	36
ocella .....	59	PARICALCITOL .....	48	podofilox.....	38
octreotide acetate .....	13	paromomycin .....	6	polyethylene glycol 3350 .....	50
ODEFSEY .....	3	paroxetine hcl .....	28	polymyxin b sulf-trimethoprim .....	59
ODOMZO .....	14	PASER.....	6	POMALYST .....	14
OFEV .....	64	PATADAY .....	60	portia.....	59
ofloxacin.....	8, 43, 59	PAXIL .....	28	potassium chlorid-d5- 0.45%nacl .....	66
ogestrel (28).....	59	PAZEO .....	60	potassium chloride .....	66
olanzapine.....	27, 28	PEDIARIX (PF) .....	54	potassium chloride in 0.9%nacl .....	66
olanzapine-fluoxetine .....	28	PEDVAX HIB (PF).....	54	potassium chloride in 5 % dex .....	66
olmesartan .....	34	peg 3350-electrolytes .....	50	potassium chloride in lr-d5 .....	66
olmesartan-amlodipin- hcthiazid .....	34	PEGANONE .....	18	potassium chloride-0.45 % nacl .....	66
olmesartan- hydrochlorothiazide.....	34	PEGASYS .....	52	potassium chloride-d5- 0.2%nacl .....	66
olopatadine .....	43, 60	PEGASYS PROCLICK .....	52	potassium chloride-d5- 0.3%nacl .....	66
omeprazole .....	51, 52	peg-electrolyte soln .....	50		
omeprazole-sodium bicarbonate .....	52	PEGINTRON REDIPEN .....	52		
ondansetron .....	50	penicillin g potassium.....	7		

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

potassium chloride-d5-0.9%nacl	66, 67	PROGRAF	14	reclipsen (28)	59
potassium citrate	65	PROLASTIN-C	42	RECOMBIVAX HB (PF)	54
PRADAXA	36	PROLENSA	60	RECTIV	50
PRALUENT PEN	37	PROLEUKIN	53	REGRANEX	38
pramipexole	18	PROLIA	55	RELENZA DISKHALER	3
prasugrel	36	PROMACTA	36	RELISTOR	50
pravastatin	37	promethazine	62	RELPAX	19
prazosin	34	promethegan	62	REMICADE	50
prednicarbate	41	propafenone	32	REMODULIN	34
prednisolone acetate	61	propranolol	34	RENAGEL	42
prednisolone sodium phosphate	44, 61	propranolol-hydrochlorothiazid	34	RENVELA	42
prednisone	44	propylthiouracil	44	repaglinide	46
prednisone intensol	44	PROQUAD (PF)	54	repaglinide-metformin	47
PREMARIN	56	protriptyline	28	REPATHA PUSHTRONEX	37
premasol 10 %	67	prudoxin	38	REPATHA SURECLICK	37
PREMASOL 6 %	67	PULMICORT FLEXHALER	64	REPATHA SYRINGE	37
PREMPHASE	56	PULMOZYME	64	RESCRIPTOR	3
PREMPRO	56	PURIXAN	14	RESTASIS	60
prenatal vitamin oral tablet	67	PYLERA	52	RESTASIS MULTIDOSE	60
prevalite	37	pyrazinamide	6	RETROVIR	3
previfem	59	pyridostigmine bromide	20	REVLIMID	14
PREZCOBIX	3	<b>Q</b>		REXULTI	29
PREZISTA	3	QUADRACEL (PF)	54	REYATAZ	3
PRIFTIN	6	quasense	59	ribavirin	3
PRIMAQUINE	6	quetiapine	28, 29	rifabutin	6
primidone	18	quinapril	34	rifampin	7
PRIMSOL	9	quinapril-hydrochlorothiazide	34	riluzole	42
PRISTIQ	28	quinidine gluconate	32	rimantadine	3
PRIVIGEN	54	quinidine sulfate	32	ringer's	67
PROAIR HFA	64	quinine sulfate	6	RIOMET	47
PROAIR RESPICLICK	64	<b>R</b>		risedronate	42, 55
probenecid	55	RABAVERT (PF)	54	RISPERDAL CONSTA	29
probenecid-colchicine	55	rabeprazole	52	risperidone	29
procainamide	31	RADICAVA	20	RITALIN LA	29
procenutra	28	RAGWITEK	54	RITUXAN	14
prochlorperazine	50	raloxifene	55	rivastigmine	20
prochlorperazine edisylate	50	ramipril	34	rivastigmine tartrate	20
prochlorperazine maleate oral	50	RANEXA	37	rivelsa	59
PROCRT	53	ranitidine hcl	52	rizatriptan	19
procto-med hc	50	RAPAMUNE	14	ropinirole	18
procto-pak	50	RAVICTI	42	rosuvastatin	37
proctosol hc	50	REBETOL	3	ROTARIX	54
protozozone-hc	50	REBIF (WITH ALBUMIN)	53	ROTATEQ VACCINE	54
progesterone micronized	56	REBIF REBIDOSE	53	roweepra	18
PROGLYCEM	46	REBIF TITRATION PACK	53	ROZEREM	30
				RUBRACA	14
				RYDAPT	14

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>S</b>	
SABRIL .....	18
SAMSCA .....	48
SANTYL .....	41
SAPHRIS (BLACK CHERRY) .....	30
SAVAYSA .....	36
SAVELLA .....	56
selegiline hcl.....	18
selenium sulfide.....	38
SELZENTRY .....	3
SENSIPAR .....	48
SEREVENT DISKUS .....	64
SEROQUEL XR .....	30
sertraline .....	30
setlakin .....	59
sevelamer carbonate .....	43
sharobel .....	57
SIGNIFOR .....	14
sildenafil .....	64
silver sulfadiazine.....	38
SIMBRINZA .....	61
SIMULECT .....	14
simvastatin.....	37
sirolimus .....	14
SIRTURO .....	7
SKLICE .....	41
sodium chloride .....	43, 67
sodium chloride 0.45 %.....	67
sodium chloride 0.9 %.....	43
sodium chloride 3 %.....	67
sodium chloride 5 %.....	67
sodium polystyrene (sorb free) .....	43
SOLTAMOX.....	14
SOLU-CORTEF (PF).....	44
SOMATULINE DEPOT .....	14
SOMAVERT .....	48
sorine .....	32
sotalol .....	32
sotalol af .....	32
SOTYLIZE .....	32
SOVALDI .....	3
SPIRIVA RESPIMAT .....	64
SPIRIVA WITH HANDIHALER.....	64
spironolactone .....	34
spironolacton-hydrochlorothiaz .....	34
SPORANOX .....	1
sprintec (28).....	59
SPRITAM .....	18
SPRYCEL .....	14
sps (with sorbitol).....	43
sronyx .....	59
ssd.....	38
stavudine.....	3
STIMATE .....	48
STIOLTO RESPIMAT .....	64
STIVARGA .....	14
STRATTERA .....	30
STRENSIQ .....	48
STREPTOMYCIN .....	7
STRIBILD .....	3
STRIVERDI RESPIMAT .....	64
SUBOXONE .....	23
SUCRAID .....	50
sucralfate .....	52
sulfacetamide sodium .....	61
sulfacetamide sodium (acne) .....	39
sulfacetamide-prednisolone .....	61
sulfadiazine.....	8
sulfamethoxazole-trimethoprim .....	8
SULFAMYRON .....	39
sulfasalazine .....	50
sulindac .....	23
sumatriptan .....	19
sumatriptan succinate .....	19
SUPRAX .....	5
SUPREP BOWEL PREP KIT .....	50
SURMONTIL .....	30
SUSTIVA .....	4
SUTENT .....	14
SYLATRON .....	53
SYLVANT .....	14
SYMBICORT .....	65
SYMLINPEN 120 .....	47
SYMLINPEN 60 .....	47
SYNAGIS .....	4
SYNAREL .....	48
SYNERCID .....	7
SYNRIBO .....	14
SYPRINE .....	43
<b>T</b>	
TABLOID .....	14
tacrolimus .....	14, 38
TAFINLAR .....	14
TAGRISSO .....	15
TAMIFLU .....	4
tamoxifen .....	15
tamsulosin .....	65
TANZEUM .....	47
TARCEVA .....	15
TARGETIN .....	15
tarina fe 1/20 (28).....	59
TASIGNA .....	15
tazarotene .....	39
TAZORAC .....	39
taztia xt .....	34
TECENTRIQ .....	15
TECFIDERA .....	20
TEFLARO .....	5
TEKTURNA .....	35
TEKTURNA HCT .....	35
telmisartan .....	35
telmisartan-amlodipine .....	35
telmisartan-hydrochlorothiazid .....	35
temazepam .....	30
TENIVAC (PF) .....	54
terazosin .....	35
terbinafine hcl .....	1
terbutaline .....	65
terconazole .....	57
testosterone .....	48
testosterone cypionate .....	48
testosterone enanthate .....	48
TETANUS,DIPHTHERIA TOX PED(PF) .....	54
TETANUS-DIPHTHERIA TOXOIDS-TD .....	54
tetrabenazine .....	20
THALOMID .....	15
theophylline .....	65
thioridazine .....	30
thiotepa .....	15
thiothixene .....	30
tiagabine .....	18
timolol maleate .....	35, 60
TIMOPTIC OCUDOSE (PF) .....	60

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

tinidazole .....	7
TIVICAY .....	4
tizanidine .....	20
tobramycin .....	60
tobramycin in 0.225 % nacl ..	7
tobramycin sulfate .....	7
tobramycin-dexamethasone..	61
tolazamide .....	47
tolbutamide .....	47
tolcapone .....	19
tolmetin.....	23
tolterodine.....	65
topiramate.....	18
toposar .....	15
topotecan .....	15
TORISEL .....	15
torsemide .....	35
TOUJEO SOLOSTAR .....	47
TRACLEER .....	65
TRADJENTA.....	47
tramadol .....	24
trandolapril .....	35
trandolapril-verapamil.....	35
tranexamic acid .....	57
TRANSDERM-SCOP .....	50
tranylcypramine .....	30
travasol 10 %.....	67
TRAVATAN Z .....	61
trazodone .....	30
TREANDA.....	15
TRECATOR .....	7
TRELSTAR.....	15
tretinoin (chemotherapy) .....	15
tretinoin microspheres .....	39
tretinoin topical .....	39
triamicinolone acetonide 41, 43,	
65	
triamterene-hydrochlorothiazid .....	35
trianex.....	41
TRIBENZOR .....	35
triderm .....	41
trifluoperazine .....	30
trifluridine.....	60
trihexyphenidyl.....	19
tri-legest fe.....	59
tri-lo-estarrylla .....	59
tri-lo-sprintec.....	59
trilyte with flavor packets.....	50
trimethoprim.....	9
trimipramine .....	30
trinessa (28) .....	59
TRINTELLIX .....	30
tri-previfem (28).....	59
TRISENOX .....	15
tri-sprintec (28).....	59
TRIUMEQ.....	4
trivora (28).....	59
TROPHAMINE 10 % .....	67
TROPHAMINE 6% .....	67
trospium.....	65
TRULICITY .....	47
TRUMENBA.....	54
TRUVADA .....	4
TUDORZA PRESSAIR .....	65
TWINRIX (PF).....	54
TYGACIL .....	7
TYKERB .....	15
TYMLOS.....	55
TYPHIM VI .....	54
TYSABRI.....	20
<b>U</b>	
UCERIS .....	51
ULORIC .....	55
unithroid .....	48
UPTRAVI.....	35
ursodiol .....	51
<b>V</b>	
valacyclovir .....	4
VALCHLOR .....	38
VALCYTE .....	4
valganciclovir .....	4
valproate sodium .....	18
valproic acid .....	18
valproic acid (as sodium salt)	
.....	18
valsartan.....	35
valsartan-hydrochlorothiazide .....	35
vancomycin .....	9
vandazole.....	57
VAQTA (PF).....	54
VARIVAX (PF) .....	54
VARIZIG.....	54
VASCEPA.....	37
VECTIBIX .....	15
<b>VELCADE .....</b>	<b>15</b>
velvet triphasic regimen (28) .....	59
<b>VELTASSA.....</b>	<b>43</b>
<b>VEMLIDY .....</b>	<b>4</b>
<b>VENCLEXTA .....</b>	<b>15</b>
<b>VENCLEXTA STARTING PACK .....</b>	<b>15</b>
venlafaxine .....	30, 31
VENTAVIS .....	65
verapamil .....	35
VERSACLOZ.....	31
VESICARE.....	65
vestura (28) .....	59
VGO 20 .....	47
VGO 30 .....	47
VGO 40 .....	47
VIBATIV .....	9
vicodin .....	22
vicodin es.....	22
vicodin hp .....	22
VICTOZA 2-PAK .....	47
VICTOZA 3-PAK .....	47
<b>VIDEX 2 GRAM PEDIATRIC .....</b>	<b>4</b>
vienna .....	59
vigabatrin .....	18
VIGAMOX .....	60
VIIBRYD .....	31
VIMPAT .....	18
vinblastine .....	15
vincasar pfs .....	15
vincristine .....	15
vinorelbine .....	15
VIOKACE .....	51
VIRACEPT .....	4
VIREAD .....	4
VOLTAREN GEL.....	24
voriconazole .....	1
VOTRIENT .....	15
VRAYLAR .....	31
vyfemla (28) .....	59
VYTORIN 10-10.....	37
VYTORIN 10-20.....	37
VYTORIN 10-40.....	37
VYTORIN 10-80.....	37
VYXEOS .....	15

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

<b>W</b>	
warfarin .....	36
WELCHOL .....	37
wymzya fe .....	59
<b>X</b>	
XALKORI.....	15
XARELTO .....	36
XATMEP .....	15
XERMELO.....	15
XGEVA.....	9
XIFAXAN.....	7
XOLAIR.....	65
XTANDI.....	16
xulane .....	57
XYREM .....	31
<b>Y</b>	
YERVOY .....	16
YF-VAX (PF).....	54
YONDELIS .....	16
yuvafem.....	57
<b>Z</b>	
zaflunukast .....	65
zaleplon .....	31
ZALTRAP .....	16
zamicet.....	22
ZANOSAR .....	16
zarah .....	59
ZEJULA .....	16
ZELAPAR .....	19
ZELBORAF .....	16
zenchent (28).....	59
zenchent fe.....	59
ZENPEP .....	51
ZERIT.....	4
ZETIA .....	37
ZIAGEN .....	4
zidovudine .....	4
zileuton .....	65
ziprasidone hcl.....	31
ZIRGAN .....	60
zoledronic acid.....	48
zoledronic acid-mannitol-water .....	43
ZOLINZA.....	16
zolmitriptan.....	19
zolpidem .....	31
zonisamide .....	18
ZORTRESS .....	16
ZOSTAVAX (PF) .....	54
ZOSYN IN DEXTROSE (ISO- OSM) .....	8
zovia 1/35e (28).....	59
zovia 1/50e (28).....	59
ZYDELIG .....	16
ZYFLO .....	65
ZYFLO CR .....	65
ZYKADIA .....	16
ZYLET .....	61
ZYPREXA RELPREVV .....	31
ZYTIGA .....	16

You can find information on what the symbols and abbreviations on this table mean by going to page vi.

---

This formulary was updated on 10/19/2017. For more recent information or other questions, please contact Express Scripts Medicare Customer Service at **1.800.758.4574**; New York State residents: **1.800.758.4570** or, for TTY users, **1.800.716.3231**, 24 hours a day, 7 days a week, or visit <http://www.express-scripts.com>.

Express Scripts Medicare (PDP) is a prescription drug plan with a Medicare contract. Enrollment in Express Scripts Medicare depends on contract renewal.

© 2016 Express Scripts Holding Company. All Rights Reserved. Express Scripts and “E” Logo are trademarks of Express Scripts Holding Company and/or its subsidiaries. Other trademarks are the property of their respective owners.

F00SNC7BW4